

Index

#

- #All special item, 61
- #Data special item, 60
- #Header special item, 61
- #ThisRow special item, 61
- #Totals special item, 61

2

2019
version of Excel. See Excel

3

32-bit version of Excel compared to 64-bit version, 454
365
version of Excel. See Excel

3D map

- animation, creating from temporal data, 384
- animation, different methods explained, 384
- annotation, adding to, 382
- bubble visualization, 376, 378
- categories, visualizing multiple, 378
- category field, adding, 378
- clustered column visualization, 376
- creating, 364
- custom image, using with, 380
- data card, customizing, 372
- edit time dialog, 384
- filter, applying to, 370
- fly over maps, how to, 386
- geocoding, explained, 366
- heat map visualization, 376
- height field, adding, 374
- image, adding to annotation, 382
- layer options, setting, 372
- layers, hiding and showing, 380
- layers, using multiple, 380
- location markers, changing opacity of, 372
- location markers, changing size and color of, 372
- location pane, using, 368
- longitude and latitude, correct formatting of values for, 380
- longitude and latitude, explained, 380
- map labels, using, 368

- map, re-positioning, 370
- mapping confidence dialog, 367
- mercator projection, explained, 368
- MP4 file, saving video as, 384
- overview, 361
- pie chart visualization, 378
- region visualization, 376
- rotating, left and right, 374
- scene options, setting, 386
- scene, adding new, 388
- scenes, understanding, 386
- scenes, working with multiple, 388
- stacked column visualization, 378
- task panes, hiding and showing, 370
- temporal data, creating video from, 384
- temporal data, explained, 364
- text box, adding to, 382
- tilting, up and down, 374
- time scrubber, using to navigate video, 384
- time values, formatting, 384
- transition effects, setting, 386, 388
- video resolution, options explained, 384
- video, creating from temporal data, 384
- video, saving as MP4 file, 384
- visualization, different types explained, 376
- X and Y co-ordinates, using with custom image, 380
- zoom, in and out of, 368

6

64-bit version of Excel compared to 32-bit version, 454

A

- absolute and relative cell references, 114
- access database
 - limitations of, 438
- activate
 - pivot table, 305
- ActiveX controls, 258
- add-in
 - power pivot, installing, 456
 - solver, 214
- advanced filter. *See filter*
- ALL, DAX function, 522
- Analysis Services. *See SSAS*
- AND function, 134

apply names command, 171
asymmetric
 creating using named sets, 494
audio cues, enabling, 26
AutoComplete, 106
 enabling and disabling, 106
 formula entry using, 106
AutoFill, 63
AutoFilter. *See also* filter
 custom, 29, 30
 range, applying to, 28
automatic calculation, 136
AVERAGE function, 106

B

background error checking, enabling and
 disabling, 186
base value
 in kpi, 516
big data
 ability of OLAP pivot tables to work with, 466
 defined, 438
 get & transform queries, using to work with,
 398
 modern data analysis, support for, 468
 pivot table, using to analyze, 438
boolean criteria, 134
business intelligence. *See also* OLAP; power pivot
 defined, 466
business rules, explained, 82
button control (form control), 290

C

calculate sheet command, 131
CALCULATE, DAX function, 518
calculated column. *See* power pivot; get &
 transform
calculated columns
 in tables, switching on, 62
calculated field. *See* power pivot, *See* pivot table
calculated item. *See* pivot table
calculated measure. *See* power pivot
calculated measure dialog. *See* power pivot
calculation options (manual and automatic), 136
calendar table. *See* data modeling
case sensitive filter, implementing, 37
cell link, of form controls, setting, 262
cells, 52
 hiding values in using a custom format, 207
 input and result, 204

 locking to prevent users changing them, 224
 merging, 175
 speaking, 196
 unlocking, 225, 275
 watch window, monitoring values in, 194
channels. *See* update channels
chart source data
 hidden and empty cells button, 275
charts. *See also* pivot chart; chart source data
 bar chart, creating, 72
 gant chart, 122
 hidden and empty cells button, 275
 pie charts, 274
 temperature gauge, creating, 270
check box (form control), 266
classic data analysis
 defined, 468
cleansing data. *See* get & transform
clear filters command (pivot table), 322
collapsing and expanding an outline, 75
combo box (form control), 260
CONCATENATE function, 140
concatenation operator (&), 138
conditional formatting. *See also* visualizations
connection. *See also* get & transform
 explained, 400
 properties, 400
 queries and connections task pane, 458
 refresh automatically at timed interval, 400
consolidate data from multiple ranges, 78
constants, named constants, 169
context. *See* power pivot
controls
 ActiveX and form, differences between, 259
 button control (form control) adding, 290
 cell link of form controls, setting, 262
 check box (form control), adding, 266
 check box (form control), use value of, 268
 combo box (form control), adding, 260
 form and ActiveX, differences between, 259
 group box (form control), adding, 258
 input range, setting for combo box (form
 control), 261
 option button (form control), adding, 258
COUNT function, 106
COUNTA function, 177
COUNTIF function, 96, 114
creating from selection command, 172
criteria range, creating, for advanced filter, 32
CSV files, splitting into columns, 72
cube. *See* data model

- custom filter, 29
- custom formatting codes, 140, 207
- custom lists
 - creating, 54
 - sorting by, 54
- custom styles, use in pivot tables, 326
- custom views, creating and viewing, 218

D

- data
 - delimited and fixed width, 71
 - input messages, 86
 - validation, 82
- data cleansing. *See* get & transform
- data model. *See also* OLAP pivot table; OLAP; Power Pivot
 - calendar table, adding to, 484
 - created by specialized staff for use by regular users, 362
 - creating, from a relational database, 472
 - CUBEVALUE function, using to retrieve data from, 490
 - foreign key, explained, 430
 - formatting values in, 486
 - get & transform query, connecting directly to, 398
 - hiding columns in, 482
 - MDX code, used within CUBEVALUE function, 491
 - MDX query language, described, 488, 491
 - memory issues when using, 362, 454
 - memory issues, solving by hosting model on SSAS, 454
 - OLAP pivot table, creating from, 464, 466
 - primary key, explained, 430
 - relationship, many-to-many, explained, 470
 - relationship, one-to-many, explained, 470
 - removing columns from, 482
 - renaming columns in, 482
 - snowflake data model, creating, from relational database, 478
 - star data model, converting snowflake data model into, 480
- data modeling. *See also* Power Pivot
 - calendar table, adding to data model, 484
 - formatting values in, 486
 - OLAP database design explained, 476
 - OLTP database design explained, 474, 476
 - overview, 451
 - snowflake data model, creating from relational database, 478
 - snowflake schema, 476
 - star data model, converting snowflake data model into, 480
 - star schema, 476
- data munging. *See* get & transform
- data pre-processing. *See* get & transform
- data scrubbing. *See* get & transform
- data shaping. *See* get & transform
- data table
 - column input cell, 205
 - row input cell, 205
 - single-input, creating, 204, 272
 - two-input, creating, 206
- data types, 406, *See also* get & transform
 - get & transform supported data types, defined, 406
 - setting in get & transform, 408
- data wrangling. *See* get & transform
- database. *See* relational database; data model
- DATE function, 124
- date of birth, calculating from age, 120
- DATEDIF function, 120
- dates and times
 - 24-hour format, applying, 126
 - age, calculating from date of birth, 120
 - current date, entering as non volatile, 119
 - DATE function, 124
 - DATEDIF function, 120
 - DAY function, 118
 - days between two dates, calculating, 120
 - difference in days between two dates, calculating, 117
 - formatting, changing default, 126
 - HOUR function, 130
 - midnight, time calculations that span, 128
 - MINUTE function, 130
 - minutes, converting to hours and minutes, 36
 - MONTH function, 118
 - monthly totals, group into using a pivot table, 340
 - months between two dates, calculating, 120
 - NOW function, 130
 - offset days, months and years, 124
 - offsetting a date by a specific interval, 122
 - SECOND function, 130
 - serial number, explained, 116
 - TIME function, 132
 - time value, containment within dates, 116
 - time, entering a non volatile current time, 131
 - TODAY function, 118
 - transforming using get & transform, 416

YEAR function, 118
years between two dates, calculating, 120
DAX. *See* power pivot; functions
DAY function, 118
delimited and fixed width data, 71, 72, 404
de-normalized data. *See* get & transform
dependents, tracing, 192
developer tab, enabling, 258
digital certificates, 228
digital signatures, 230
dimension table, 476
DISTINCTCOUNT, DAX function, 514
downloading the sample files, 17, 28
Dr Codd's third normal form rules, 70, 440
drill-down
 OLAP pivot table, in, 488
drill-down, pivot table, into fields, 305
duplicate entries, removing from tables, 94

E

e-mail, hyperlink, used to send, 244
error alert messages, 84
errors
 #DIV/0!, eliminating with the IF function, 112
 #DIV/0!, explained, 182
 #NA, explained, 182
 #NAME?, explained, 182
 #NULL!, explained, 184
 #NUM, explained, 182
 #REF!, explained, 184
 #VALUE!, explained, 184
background checking, detecting with, 186
background checking, enabling and disabling, 186
green triangle indicators, enabling and disabling, 186
green triangle, visual indicator of, 186
IFERROR function, 150
manually checking for, 188
solving, 182
trace dependents tool, 192
trace error tool, 191
trace precedence tool, 190
watch window, using to monitor cell values, 194
ETL. *See* get & transform
evaluate formula command, 105
evaluation context. *See* power pivot
EXACT function, 37
Excel
 2019 and 365, differences between, 1
 2019 version of, 1
 32 and 64 bit version of, 454
 32 bit and 64 bit version of, 364, 438
 how to tell which version you are using, 1
 locale used to write this book, 17
extract. *See* get & transform
extract, transform and load. *See* get & transform

F

fact table, 476
files. *See also* workbooks
 macro-enabled workbook format, 280
 objects, creating from, 250
 objects, linking to, 250
filter. *See also* AutoFilter
 advanced, 32, 34, 36
 advanced with multiple OR criteria, applying, 32
 by color, 31
 by selection, 29
 case sensitive, implementing, 37
 clearing, 30
 criteria range, 32, 34
 custom, 29, 30
 exact and inexact, creating, 33
 extract records to a different worksheet using, 39
 extracting random rows from a range using, 36
 function-driven, 36
 list range, 34
 pivot table, 312, 314
 range, applying to, 28
 removing, 29
 removing advanced, 35
 slicers, filtering pivot tables with, 316
 top 10, 30
 unique records, extracting using, 38
 wildcards, use of in criteria, 33
filter context. *See* power pivot
FIND function, 144
fixed width and delimited data, 71, 72
foreign key. *See also* data model
 explained, 430
 naming convention, 430
formatting. *See also* themes
 24 hour time, 126
 custom format strings, using, 140
 data model values using power pivot, 486
 date, changing default, 126
 hiding values in cells using a custom format, 207

- numbers in a pivot table, 305
- power pivot, with, 486
- slicers, 317
- TEXT function, to format numerical values as strings, 140
- time, changing default, 126
- forms. *See* controls
- formulas. *See also* functions
 - auditing by tracing precedents, 190
 - AutoComplete, creating with, 173
 - AutoComplete, enabling and disabling, 106
 - hiding to prevent viewing of, 225
 - range names, pasting into, 179
 - syntax box, understanding, 106, 107
 - trace dependents tool, 192
 - trace error tool, 191
- frequency distribution, 342
- functions. *See also* formulas
 - ALL, DAX function, 522
 - AND, 134
 - AutoComplete, 106
 - AutoComplete, enabling and disabling, 106
 - AVERAGE, 106
 - CALCULATE, DAX function, 518
 - CONCATENATE, 140
 - COUNT, 106
 - COUNTA, 177
 - COUNTIF, 96, 114
 - CUBEMEMBER, 492
 - CUBEVALUE, 490
 - DATE, 124
 - DATEDIF, 120
 - DAY, 118
 - DISTINCTCOUNT, DAX function, 514
 - evaluating with the *evaluate formula* command, 105
 - EXACT, 37
 - FIND, 144
 - FV, 110
 - GETPIVOTDATA, 348
 - HLOOKUP, 152
 - HOUR, 130
 - IF, 112
 - IF, avoiding nesting using VLOOKUP, 113
 - IFERROR, 150
 - IFS, 158
 - INDEX, 149, 156
 - INDIRECT, 174
 - INT, 36
 - LEFT, 142
 - LEN, 144
 - MATCH, 149, 154
 - MAX, 106
 - MID, 142
 - MIN, 106
 - MINUTE, 130
 - MOD, 36
 - MONTH, 118
 - MROUND, 138
 - NOT, 134
 - NOW, 130
 - OFFSET, 176
 - OR, 134
 - PMT, 108, 204
 - PV, 110
 - RIGHT, 142
 - ROUND, 406
 - ROUNDUP, 320
 - ROW, 36
 - SECOND, 130
 - SUBTOTAL, 45
 - SUM, 106
 - SUM, DAX function, 506, 510, 512
 - SUMIF, 114
 - SUMPRODUCT, 215
 - SWITCH, 148
 - TABLE, 205
 - TEXT, 140
 - TEXTJOIN, 140
 - TIME, 132
 - TODAY, 88, 118
 - TRIM, 145
 - VLOOKUP, 146, 152
 - YEAR, 118
- future value, explained, 109, 110
- FV function, 110

G

- ganttt chart, 122
- get & transform
 - aggregated data query, advantages of over pivot table, 422
 - aggregated data query, creating, 422
 - append query, creating, 428
 - arguments, changing for steps, 410
 - big data, working with, 398
 - calculated column, adding, 420
 - column, creating duplicate of, 416
 - column, moving, removing, renaming, filtering and sorting, 402
 - column, replacing values in, 404
 - combining tables, de-normalizing by, 440

- connection only query, creating, 458
- connections, automatically refreshing, 400
- connections, explained, 400
- custom column, adding, 420
- data model, connecting query return values directly to, 398
- data type, conversion of, 406
- data types, defined, 406
- data types, in-depth explanation of, 406
- date column, transforming, 416
- date type, setting for a column, 408
- Date.To.Text, PQFL function, 420
- delimited data, splitting, 404
- de-normalized data, in-depth explanation of, 440
- derived values, de-normalizing by adding, 440
- duplicate column, creating, 416
- ELT, advantages of ETL over, 396
- empty string, comparison with null value, 414
- error rows, removing, 412
- ETL (extract, transform and load), overview, 396
- ETL, advantages of, over traditional ELT, 396
- expanding joined tables, 444
- extract, process explained, 396
- filtering columns, 402
- first row, using as column headers, 412
- formulas, PQFL, inspecting and editing, 410
- get external data, advantages over, 398
- group by dialog, 422
- headers, using first row as, 412
- import data dialog, 458
- join, explanation of different types, 442
- load to, dialog options, 398
- load, process explained, 396
- M language, synonym for PQFL, 410
- merged query, creating, 442, 444
- moving column, 402
- multiple queries, working with, 426
- normal data, 440
- null values, comparison to empty strings, 414
- null values, in-depth explanation, 414
- number column, transforming, 418
- number scale, changing, 418
- only create connection, query type, 398, 400, 426
- overview, 396
- power pivot, adding tables to using, 458
- PQFL described, 410
- PQFL formulas, inspecting, 410
- PQFL, blank spaces, using in formulas, 428
- PQFL, Date.To.Text function, 420
- queries and connections task pane, 458
- query tools, new ribbon tab for linked tables, 398
- query, connection only, creating, 458
- query, creating, 398
- refresh connection automatically at timed interval, 400
- refresh, linked table connected to, 398
- removing columns, 402
- removing rows, 412
- renaming columns, 402
- renaming queries, 400
- replacing values in columns, 404
- rounding values, 418
- rows, removing, 412
- sorting columns, 402
- spaces, using in PQFL formulas, 428
- splitting delimited data, 404
- steps explained, 410
- steps, arguments, setting in, 410
- steps, deleting, 410
- time column, transforming, 416
- transform date columns, 416
- transform number columns, 418
- transform time columns, 416
- transform, process explained, 396
- unpivot aggregated data, 424
- web query, creating, 398
- get external data. *See also* get & transform made redundant by get & transform, 398
- goal seek, 212
- goto special, 75
- gross profit and markup explained, 136
- group
 - pivot table date fields, 340
 - pivot table fields, 306
 - pivot table text fields, 338
 - pivot table value ranges, 342
- group box (form control), 258

H

- heirarchy
 - data model, defining in, 484
- help system
 - formula AutoComplete, accessing from within, 106
- hide worksheets, columns and rows, 216
- HLOOKUP function, 152
- HOLAP, 472
- HOUR function, 130

hyperlinks. *See* internet

I

IF function, 112
 avoiding nesting using VLOOKUP, 113
IFERROR function, 150
IFS function, 158
INDEX function, 149, 156
 combining with MATCH, 149, 156
INDIRECT function, 174
input message, 86
input range (of combo box form control), 261
INT function, 36
IntelliSense, 106
interest, calculating using PMT function, 108
internet
 address, adding to the quick access toolbar, 244
 back button, adding to the quick access toolbar, 244
 hyperlink to a shape, 288
 hyperlink, adding a screen tip to, 240
 hyperlink, inserting, 240
 hyperlink, to a range name, 241
 hyperlink, to an e-mail address, 244
 hyperlink, to other workbooks, 242
 hyperlink, to web pages, 242
 navigation controls, adding to the quick access toolbar, 244
 next button, adding to the quick access toolbar, 244
 web query, creating with get & transform tool, 398
invisible signature, adding, 230

J

join, types of, 442

K

key performance indicator, 516
 base value, 516
 status threshold, 516
 target value, 516
keyboard shortcuts
 Create names from selection, 166
 defined names, list, 169
 format cells dialog, open, 126
 function arguments dialog, display, 124
 general format, 126
 name manager, show, 172
KPI. *See* key performance indicator

L

latitude. *See* 3D map
LEFT function, 142
LEN function, 144
license. *See also* update channels
 Excel 2019, 24
 perpetual and subscription, differences, 24
 subscription, 24
linked table. *See* table
load. *See* get & transform
locale
 used to write this book, 17
logical expressions using AND, OR and NOT, 134
longitude. *See* 3D map

M

M language. *See* get & transform
macro-enabled workbook format, 280
macros
 absolute references, recording with, 278
 automatically running when workbook is opened, 291
 naming, 278
 personal macro workbook, storing macro in, 278
 quick access toolbar, running from, 290
 recording with absolute references, 278
 recording with relative references, 286
 security, explained, 280
 settings, security, 282
 shapes, running from, 288
 shortcut key, defining, 279
 store macros in, explained, 278
 this workbook, storing macro in, 278
 trusted document, making a macro-enabled workbook into, 280, 284
 trusted folder, creating, 283
 VBA, relationship between, 276
manage relationships dialog, 462
manual calculation, 136
many-to-many relationship
 described, 470
 power pivot, incompatibility with, 470
markup and gross profit explained, 136
MATCH function, 149, 154
 combining with INDEX, 149, 156
 match type argument, explained, 149, 154
 using to make VLOOKUP function more resilient, 146
MAX function, 106

MDX. *See also* data model
query language explained, 488, 491
measure. *See* power pivot
memory
64 bit excel version, better use of, 364, 438, 454
checking how much is available, 454
out of memory errors, 364, 438, 454
merge across command, 175
merge cells, 175
MID function, 142
midnight, dealing with in time calculations, 128
MIN function, 106
MINUTE function, 130
MOD function, 36
modeling. *See* data modeling
modern data analysis
defined, 468
MOLAP, 472
MONTH function, 118
MROUND function, 138
munging data. *See* get & transform

N

name box, 167
resizing, 171
name manager, 172, 174
named constants, 168
named ranges. *See* range names
names. *See* range names
normal data. *See* get & transform
NOT function, 134
NOW function, 130
null values, 414
numbers
formatting, in pivot table, 305

O

objects
chart, embedding into word, 248
copying, 249
drag and drop, creating by, 251
linking to files, 250
OLE (object linking and embedding), 249
paste special, creating by, 251
worksheet, embedding into word, 246
worksheet, linking to word, 250
office theme, changing, 26
office version
checking Excel version, 25

version number and build number explained, 24
OFFSET function, 176
OLAP. *See also* data model; OLAP pivot table;
power pivot
accessing data model values using the
CUBEMEMBER function, 492
data model, accessing data directly with the
CUBEVALUE function, 490
MDX, query language, described, 488, 491
MOLAP, ROLAP and HOLAP, differences
between, 472
rules, Codd's for OLAP, 466
OLAP cube. *See* data model
OLAP pivot table. *See also* data model; OLAP;
power pivot
big data, ability to work with, 466
calculated field, workaround, 488
calculated item, workaround, 488
creating from data model, 464
CUBEMEMBER, function, using to retrieve
data from OLAP cube, 492
CUBEVALUE, function, using to retrieve data
from data model, 490
data model, creating from, 464
differences compared to regular pivot table,
466
distinct count aggregation method, 514
drill-down, limitations in, 488
drill-down, setting maximum number of
records to retrieve, 488
GETPIVOTDATA, function, using to retrieve
data from, 348, 491
limitations of, 488
named sets, 494
OLAP data model, relationship to, 466
overview, 466
OLE (object linking and embedding), 249
one-to-many relationship
creating using manage relationships dialog, 462
creating using power pivot, 462
described, 470
operators
intersection, 174
option button (form control), 258
OR function, 134
organizing
sample files folder, 28
outlines
collapsing and expanding, 75

P

- page fields, 314
- password
 - open workbook, setting, 220
 - secure, creating with secure password generator, 295
- paste special
 - objects, creating with, 251
 - validation, 181
- personal macro workbook, storing macros in, 278
- pivot chart
 - creating from pivot table, 350
 - moving to its own worksheet, 350, 351
- pivot table. *See also* OLAP pivot table; pivot charts; slicers
 - activating, 305
 - big data, using to analyze, 438
 - cache. *See* data cache
 - calculated field, adding to, 334
 - calculated item, adding to, 336
 - clear filters command, 322
 - collapse and expand outline in, 307
 - column labels, 309
 - compact form layout, 328
 - creating from a table, 304
 - custom PivotTable styles, creating, 326
 - data cache, linked table, connected to, 436
 - data cache, refreshing from, 436
 - date fields, grouping by, 340
 - differences compared to OLAP pivot table, 466
 - drilling down into, 305
 - field header, showing and hiding, 335
 - field list, 305, 308
 - field, removing from, 308
 - filter, 312
 - filters, removing all from, 322
 - formatting numbers in, 305
 - formatting using PivotTable styles, 324
 - frequency distribution, 342
 - GETPIVOTDATA function, using to retrieve data from, 348
 - grand total, adding to, 333
 - grouping fields in, 306
 - linked table, as data source for, 436
 - multiple in one worksheet, embedding, 352
 - multiple summations, displaying in, 332
 - multiple worksheets, generating using report filters, 322
 - multiple, filtering with slicers, 354
 - named ranges, creating from, 304
 - numeric ranges, grouping by, 342
 - outline form layout, 329
 - percentage, show row data by, 344
 - refresh data in, 436
 - report filter fields, using, 314
 - report layouts, 328
 - row labels, 308
 - rows, hiding, 335
 - slicers, filtering with, 316
 - sort, 312
 - subtotals, adding and removing, 330
 - tabular form layout, 329
 - text fields, grouping by, 338
 - values, 308
- PMT function, 108
- power map. *See* 3D map
- power pivot. *See also* data modelling; KPI; power pivot rules
 - 64 bit version of Excel vs 32 bit, advantages of, 454
 - add-in, installing, 456
 - ALL, DAX function, 522
 - CALCULATE, DAX function, 518
 - calculated area, enabling and disabling, 502
 - calculated column, adding, 504
 - calculated column, described, 502
 - calculated field, older name for calculated measure, 506
 - calculated measure dialog, 512
 - calculated measure, adding, 506, 512
 - calculated measure, described, 502
 - calendar table, adding to data model, 484
 - column, calculated, adding, 504
 - column, calculated, described, 502
 - column, renaming, 504
 - context, comparison of row and filter, 510
 - crash, recovering from, 456
 - data view, displaying, 504
 - diagram view, displaying, 462
 - DISTINCTCOUNT, DAX function, 514
 - evaluation context, 510
 - explicit vs implicit measures, 508
 - filter context, explained, 510
 - formatting values in, 486, 504
 - heirarchy defining in data model, 484
 - implicit vs explicit measures, 508
 - installing, 456
 - many-to-many relationship, incompatibility with, 470
 - measure, adding, 506, 512
 - measure, described, 502
 - memory issues when using, 362, 454

- OLAP pivot table, creating from, 464
- OLAP, MOLAP, HOLAP and ROLAP,
 - differences between, 472
- pasting data into a new table with, 460
- relationship, creating with, 462
- relationships, automatic creation of, 464
- repairing, when tab disappears, 456
- row context, explained, 510
- SSAS, advantages of hosting data model on, 454
- SUM, DAX function, 506, 510, 512
- tab, restoring if it disappears, 456
- tables, adding to via get & transform, 458
- window, differences compared with Excel, 460
- window, opening, 456
- window, overview, 460, 502
- xVelocity engine, advantages of, 508
- year-on-year growth, calculating, 520
- power pivot rules
 - data modeling, 532
 - DAX measures, creation of, 535
 - get & transform, 530
 - naming convention for tables, columns and measures, 533
- power query. *See* get & transform
- Power View
 - retired product, now part of Power BI, 362
- PQFL. *See also* get & transform
 - Date.To.Text function, 420
- precedence rules in formulas, 104
- precedents, tracing, 192
- pre-processing data. *See* get & transform
- present value, explained, 110
- primary key. *See also* data model
 - explained, 430
 - meaningless, importance of, 430
 - naming convention, 430
 - unique, necessity to be, 430
- profit, difference between markup and gross profit, 136
- project management, Excel's suitability for, 122
- protected view, 29
 - potential problems with when downloading sample files, 28
- PV function, 110

Q

- query. *See also* get & transform
 - deleting, 480
- quick analysis, 40
 - converting a range to a table using, 44

- percentages, adding using, 42
- running totals, adding using, 42
- totals, adding using, 40
- quotations
 - Abraham Maslow, 303
 - Alexander McCall Smith, 361
 - Benjamin Disraeli, 23
 - Carly Fiorina, 395
 - Confucius, 3, 203
 - George Bernard Shaw, 69
 - George Orwell, 103
 - Gordon B. Hinckley, 501
 - Kathryn Minshew, 239
 - Plutarch, 165
 - Sir Arthur C. Clarke, 453
 - Winston Churchill, 2

R

- range names
 - apply names command, 171
 - automatically creating, 166
 - automatically creating in two dimensions, 172
 - creating from selection command, 172
 - creating manually, 168
 - dynamic, creating using OFFSET function, 176
 - dynamic, uses of, 176
 - explained, 166
 - formulas, make more readable with, 170
 - formulas, using in, 167
 - hyperlinks, creating to point to, 241
 - INDIRECT function, 174
 - intersection operator, using with, 174
 - name manager, 172, 174
 - named constants, 168
 - pasting into formulas using the paste name dialog, 179
 - pivot table, creating from, 304
 - qualified and unqualified references to, 168
 - scope, workbook and worksheet, 168
 - syntax rules for, 167
 - table based, creating, 178
 - validations, using with, 180
 - viewing, 170
- ranges. *See also* range names
 - AutoFilter, applying to, 28
 - consolidating, 78
 - duplicate entries, removing from, 94
 - sorting by column, 52
 - sorting by row, 50
 - subtotals, create automatically, 74
 - table, converting into, 44

- table, creating from, 46
- unique constraint, adding to, 96
- read only worksheet
 - creating, 225
 - hiding to prevent viewing of, 225
- regional settings, 126
- relational database
 - data model, creating from, 472
 - described, 430
 - OLTP database design explained, 474
 - star schema, creating from, 476
 - view, using in, 434
- relationship
 - creating using manage relationships dialog, 462
 - creating using power pivot, 462
 - creating using VLOOKUP function, 432
 - explained, 430
 - importing, from a relational database, 472
 - manage relationships dialog, 462
 - many-to-many link table naming convention, 470
 - many-to-many, explained, 470
 - one-to-many, explained, 470
- ribbon
 - custom groups, adding to, 294
 - customizations, saving to a file, 297
 - tabs, showing and hiding, 292
- RIGHT function, 142
- ROLAP, 472
- ROUND function, 406
- ROUNDUP function, 320
- row context. *See* power pivot
- ROW function, 36
- rules. *See* power pivot rules

S

- sample files
 - downloading, 17, 28
 - organizing folder, 28
- scenario summary report, creating, 210
- scenarios
 - defining, 208
 - goal seek, 212
 - merging, 210
 - quick access toolbar, viewing from, 209
 - scenario manager, 209
 - scenario summary report, creating, 210
- scheduling equation, 122
- schema, 444
 - snowflake schema, 476
 - star schema, 476

- screen tip, adding to a hyperlink, 240
- screenshot (sidebar), 225
- scrubbing data. *See* get & transform
- SECOND function, 130
- security
 - custom views, creating and viewing, 218
 - digital certificate, implementing macro security with, 282
 - digital certificates, 228
 - digital signature, adding invisible, 230
 - hide worksheets, columns and rows, 216
 - locking cells to prevent users changing them, 224, 275
 - macro, 280
 - multiple levels for one worksheet, 226
 - password to open, setting, 220
 - passwords, choosing secure, 220
 - read only worksheet, creating, 225
 - structure and windows, protecting with a password, 222
 - trust center, 282
 - trusted document, creating, 284
 - trusted folder, creating, 283
 - unhide worksheets, columns and rows, 216
 - visible signature, adding, 232
- self-service BI. *See also* 3D Map, Power Pivot, Get & Transform
 - comparison with earlier OLAP implementation methods, 466
 - suite explained, 362
- shapes, running macros from, 288
- shaping data. *See* get & transform
- shortcut keys
 - recalculate workbook, 131
 - time, entering a non volatile current time, 131
- signature, digital, 230
- slicers, 316
 - columns, changing number of, 317
 - connect multiple pivot tables to, 354
 - date-driven interface, creating with, 320
 - filtering multiple pivot tables with, 354
 - filtering pivot table with, 316
 - formatting, 317
 - ranges, filtering with, 44
 - re-sizing, 317
 - style, changing, 317
 - timeline, 318
- smart tag
 - using to correct errors, 187
- snowflake schema, 476
- solver, 214

- sort
 - by cell color, 50
 - by conditional formatting icon, 50
 - by font color, 50
 - custom list, by, 54
 - left to right, 53
 - multiple criteria, using in, 50
 - options, 53
 - pivot table, 312
 - range by column, 52
 - range or table by row, 50
- sounds
 - enabling audio cues, 26
- speak cells, 196
- special items. *See* structured references
- split text using Text to Columns, 71
- sql
 - described, 434
- SQL Server. *See also* SSAS
- sql server analysis services. *See* SSAS
- SSAS
 - described, 454
 - OLAP data model hosting, advantages of, 454
 - solving memory issues by hosting data model on, 454
 - version history, 454
- star schema, 476
- status threshold
 - in kpi, 516
- strings
 - CONCATENATE function, 140
 - concatenating using & operator, 138
 - custom format codes, 140
 - FIND function, 144
 - LEFT function, 142
 - LEN function, 144
 - MID function, 142
 - numerical, converting to, 143
 - RIGHT function, 142
 - TEXT function, 140
 - TEXTJOIN function, 140
 - TRIM function, 145
- structure, protecting with a password, 222
- structured query language. *See* sql
- structured references. *See also* tables
 - enabling and disabling, 56
 - special items, using in, 60
 - unqualified and qualified, explained, 62
- styles
 - pivot table, creating custom style in, 326
 - pivot table, using in, 324

- table, 46
- SUBTOTAL function, 45
- subtotals. *See also* ranges, tables
 - copy subtotals only, 75
 - grand total, adding to pivot table, 333
 - nested, creating, 75, 76
 - pivot table, adding to, 330
 - tables, generate from using data consolidation, 80
- SUM function, 106
- SUM, DAX function, 510
- SUMIF function, 114
- SUMPRODUCT function, 215
- SWITCH function, 148

T

- table. *See also* structured references
 - calculated columns in, explained, 62
 - creating a pivot table from, 304
 - custom style, creating, 48
 - data source, linking to, 436
 - dimension table, explained, 476
 - duplicate entries, removing, 94
 - fact table, explained, 476
 - formatting, 46
 - get & transform query, linking to, 398
 - linked, detailed explanation of, 436
 - linked, refreshing, 398, 436
 - linked, refreshing, automatically at timed interval, 400
 - linked, unlinking, 436
 - linking to get & transform query, 398
 - naming, 57, 179
 - new rows and columns, enabling and disabling
 - automatic inclusion in, 57
 - power pivot, adding to, 458
 - range names, associating with, 179
 - range, converting to, 44, 46
 - slicers, using with, 44
 - sorting by row, 50
 - structured reference, creating manually, 58
 - structured reference, explained, 56
 - structured reference, using, 56
 - style options, 46
 - style, custom, creating, 48
 - styles gallery, 46
 - total row, adding to, 45
 - total row, showing average values in, 45
 - unique constraint, implementing, 96
 - unlinking, 436
- target value

- in kpi, 516
- temperature gauge chart, 270
- TEXT function, 140
- text to columns, 70, 72
- TEXTJOIN function, 140
- the smart method
 - learning by participation, 3
 - two facing pages rule, 2
- themes. *See also* office theme
 - applying to a workbook, 46
 - restricting color choice to, rationale for, 48
- third normal form, 70, 440
- TIME function, 132
- timeline. *See* slicers
- times. *See* dates and times
- TODAY function, 88, 118
- totals
 - adding using quick analysis, 40
- trace dependents tool, 192
- trace error tool, 191
- trace precedents of formulas, 190
- transform. *See* get & transform
- TRIM function, 145
- trust center, 282
- trusted document, 280, 284
 - list, clearing, 285
- trusted folder, creating, 283

U

- unhide worksheets, columns and rows, 216
- unique
 - constraint, adding to ranges and tables, 96
 - records, extracting using advanced filter, 38
- unlink table. *See* table
- unpivot. *See* get & transform
- update channels
 - automatic updates, enabling, 24
 - explained, 24
- updates. *See* update channels

V

- validation
 - custom, 92
 - date, 88
 - dynamically changing based on a cell value, 180
 - error alert messages, 84
 - formula driven, 88, 181
 - input message, 86
 - link together using range names, 180

- list, 90, 181
- mandatory and advisory, 85
- numeric data, 82
- removing from selected cells, 181
- source, different ways of defining, 90
- style, 85
- text length, 88
- VBA, 276
- view
 - in relational database, explained, 434
- visible signature, adding, 232
- visualizations, 51
- VLOOKUP function, 146, 152
 - exact lookup, using for, 146
 - inexact lookup, using for, 152
 - relationship, creating using, 432

W

- watch window, 194
- web. *See* internet
- what-if analysis. *See also* data tables, scenarios
 - data table, single-input, creating, 204
 - data table, two-input, creating, 206
 - goal seek, 212
 - scenario manager, 209
 - scenario summary report, creating, 210
 - scenarios, defining, 208
 - scenarios, merging, 210
 - solver, using, 214
- wildcards
 - use of in filter criteria, 33
 - use of in logical criteria, 115
- word
 - embedding a chart object into, 248
 - embedding a worksheet object into, 246
 - linking an Excel worksheet to, 250
- word documents, hyperlink to, 243
- workbooks
 - macros, running automatically when opened, 291
 - recalculating, 131
- working days
 - calculating using DAX DISTINCTCOUNT function, 514
- wrangling data. *See* get & transform

X

- xVelocity engine, 468, 508

Y

Y2K bug, 187

YEAR function, 118

year-on-year growth

calculating using power pivot, 520