

Index

#

- # spilled range operator, 178
- #All special item, 67
- #Data special item, 66
- #Header special item, 67
- #ThisRow special item, 67
- #Totals special item, 67

2

- 2019
 - version of Excel. *See* Excel

3

- 32-bit version of Excel compared to 64-bit version, 536
- 365
 - version of Excel. *See* Excel
- 3D map
 - animation, creating from temporal data, 446
 - animation, different methods explained, 446
 - annotation, adding to, 444
 - bubble visualization, 438, 440
 - categories, visualizing multiple, 440
 - category field, adding, 440
 - clustered column visualization, 438
 - creating, 426
 - custom image, using with, 442
 - data card, customizing, 434
 - edit time dialog, 446
 - filter, applying to, 432
 - fly over maps, how to, 448
 - geocoding, explained, 428
 - heat map visualization, 438
 - height field, adding, 436
 - image, adding to annotation, 444
 - layer options, setting, 434
 - layers, hiding and showing, 442
 - layers, using multiple, 442
 - location markers, changing opacity of, 434
 - location markers, changing size and color of, 434
 - location pane, using, 430
 - longitude and latitude, correct formatting of values for, 442
 - longitude and latitude, explained, 442

- map labels, using, 430
- map, re-positioning, 432
- mapping confidence dialog, 429
- mercator projection, explained, 430
- MP4 file, saving video as, 446
- overview, 423
- pie chart visualization, 440
- region visualization, 438
- rotating, left and right, 436
- scene options, setting, 448
- scene, adding new, 450
- scenes, understanding, 448
- scenes, working with multiple, 450
- stacked column visualization, 440
- task panes, hiding and showing, 432
- temporal data, creating video from, 446
- temporal data, explained, 426
- text box, adding to, 444
- tilting, up and down, 436
- time scrubber, using to navigate video, 446
- time values, formatting, 446
- transition effects, setting, 448, 450
- video resolution, options explained, 446
- video, creating from temporal data, 446
- video, saving as MP4 file, 446
- visualization, different types explained, 438
- X and Y co-ordinates, using with custom image, 442
- zoom, in and out of, 430

6

- 64-bit version of Excel compared to 32-bit version, 536

A

- absolute and relative cell references, 120
- access database
 - limitations of, 516
- activate
 - pivot table, 367
- ActiveX controls, 320
- add-in
 - power pivot, installing, 538
 - solver, 276
- advanced filter. *See* filter
- ALL, DAX function, 606
- Analysis Services. *See* SSAS

AND function, 140

AND/OR logic arrays, 196

apply names command, 231

array. *See also* dynamic array formula, dynamic array function

- boolean arithmetic, using with, 196
- comma delimiter, within, 174
- constant, 174
- CSE array formulas, editing, 176
- dynamic array function, defined, 180
- dynamic formulas, explained, 178
- dynamic, legacy Excel version, inability to support, 180
- explained, 172
- horizontal and vertical, differences between, 172
- legacy CSE array formula, explained, 176
- logic array, creating, 194, 196
- memory, in, 174
- named constants, defining as, 174
- one-dimensional, explained, 172
- semicolon delimiter, within, 174
- spilled range operator, 178
- spilling, 178
- two-dimensional, explained, 174
- vertical and horizontal, differences between, 172

array formula. *See also* dynamic array function, dynamic array formula, array terminology, 180

asymmetric

- creating using named sets, 578

audio cues, enabling, 32

AutoComplete, 112

- enabling and disabling, 112
- formula entry using, 112

AutoFill, 69

AutoFilter. *See also* filter

- custom, 35, 36
- range, applying to, 34

automatic calculation, 142

AVERAGE function, 112

B

background error checking, enabling and disabling, 248

base value

- in kpi, 600

big data

- ability of OLAP pivot tables to work with, 548
- defined, 516

- get & transform queries, using to work with, 460
- modern data analysis, support for, 550
- pivot table, using to analyze, 516

boolean criteria, 140

boolean data type

- arithmetic with, 196
- dynamic arrays, using with, 196

business intelligence. *See also* OLAP; power pivot defined, 548

business rules, explained, 88

button control (form control), 352

C

calculate sheet command, 137

CALCULATE, DAX function, 602

calculated column. *See* power pivot; get & transform

calculated columns

- in tables, switching on, 68

calculated field. *See* pivot table, *See* power pivot

calculated item. *See* pivot table

calculated measure. *See* power pivot

calculated measure dialog. *See* power pivot

calculation options (manual and automatic), 142

calendar table. *See* data modeling

case sensitive filter, implementing, 43

cell link, of form controls, setting, 324

cells, 58

- hiding values in using a custom format, 269
- input and result, 266
- locking to prevent users changing them, 286
- merging, 235
- speaking, 258
- unlocking, 287, 337
- watch window, monitoring values in, 256

channels. *See* update channels, *See* update channels

chart source data

- hidden and empty cells button, 337

charts. *See also* pivot chart; chart source data

- bar chart, creating, 78
- gant chart, 128
- hidden and empty cells button, 337
- pie charts, 336
- temperature gauge, creating, 332

check box (form control), 328

classic data analysis

- defined, 550

cleansing data. *See* get & transform

clear filters command (pivot table), 384

- collapsing and expanding an outline, 81
- column from examples*
 - delimited data, splitting using*, 500
 - examples, 506
 - explained*, 500
 - extract characters from strings using, 504
 - extracting initials with, 502
 - using with selected source columns, 502
- combo box (form control), 322
- CONCATENATE function, 146
- concatenation operator (&), 144
- conditional formatting. *See also* visualizations
- connection. *See also* get & transform
 - explained*, 462
 - properties, 462
 - queries and connections task pane, 540
 - refresh automatically at timed interval, 462
- consolidate data from multiple ranges, 84
- constants, named constants, 229
- context. *See* power pivot
- controls
 - ActiveX and form, differences between, 321
 - button control (form control) adding, 352
 - cell link of form controls, setting, 324
 - check box (form control), adding, 328
 - check box (form control), use value of, 330
 - combo box (form control), adding, 322
 - form and ActiveX, differences between, 321
 - group box (form control), adding, 320
 - input range, setting for combo box (form control), 323
 - option button (form control), adding, 320
- COUNT function, 112
- COUNTA function, 237
- COUNTIF function, 102, 120
- creating from selection command, 232
- criteria range, creating, for advanced filter, 38
- CSE array formula
 - explained*, 176
- CSV files, splitting into columns, 78
- cube. *See* data model
- custom filter, 35
- custom formatting codes, 146, 269
- custom lists
 - creating, 60
 - sorting by, 60
- custom logic array, 194, 196
- custom styles, use in pivot tables, 388
- custom views, creating and viewing, 280

D

- data
 - delimited and fixed width, 77
 - input messages, 92
 - validation, 88
- data card
 - adding a linked data type field using. *See also* linked data type
- data cleansing. *See* get & transform
- data model. *See also* OLAP pivot table; OLAP; Power Pivot
 - calendar table, adding to, 568
 - created by specialized staff for use by regular users, 424
 - creating, from a relational database, 552
 - CUBEVALUE function, using to retrieve data from, 574
 - foreign key, *explained*, 508
 - formatting values in, 570
 - get & transform query, connecting directly to, 460
 - hiding columns in, 566
 - MDX code, used within CUBEVALUE function, 575
 - MDX query language, described, 572, 575
 - memory issues when using, 424, 536
 - memory issues, solving by hosting model on SSAS, 536
 - OLAP pivot table, creating from, 546, 548
 - primary key, *explained*, 508
 - relationship, many-to-many, *explained*, 554
 - relationship, one-to-many, *explained*, 554
 - removing columns from, 566
 - renaming columns in, 566
 - snowflake data model, creating, from relational database, 560, 562
 - star data model, converting snowflake data model into, 564
- data modeling. *See also* Power Pivot
 - calendar table, adding to data model, 568
 - formatting values in, 570
 - OLAP database design *explained*, 558
 - OLTP database design *explained*, 556, 558
 - overview, 533
 - snowflake data model, creating from relational database, 560, 562
 - snowflake schema, 558
 - star data model, converting snowflake data model into, 564
 - star schema, 558
- data munging. *See* get & transform

data pre-processing. *See* get & transform
data scrubbing. *See* get & transform
data shaping. *See* get & transform
data table
 column input cell, 267
 row input cell, 267
 single-input, creating, 266, 334
 two-input, creating, 268
data types, 468, *See also* linked data types; get & transform
 get & transform supported data types, defined, 468
 native, 468
 non-scalar, 468
 object, 468
 scalar, 468
 setting in get & transform, 478
data wrangling. *See* get & transform
database. *See* relational database; data model
DATE function, 130
date of birth, calculating from age, 126
DATEDIF function, 126
dates and times
 24-hour format, applying, 132
 age, calculating from date of birth, 126
 current date, entering as non volatile, 125
 DATE function, 130
 DATEDIF function, 126
 DAY function, 124
 days between two dates, calculating, 126
 difference in days between two dates, calculating, 123
 formatting, changing default, 132
 HOUR function, 136
 midnight, time calculations that span, 134
 MINUTE function, 136
 minutes, converting to hours and minutes, 42
 MONTH function, 124
 monthly totals, group into using a pivot table, 402
 months between two dates, calculating, 126
 NOW function, 136
 offset days, months and years, 130
 offsetting a date by a specific interval, 128
 SECOND function, 136
 serial number, explained, 122
 TIME function, 138
 time value, containment within dates, 122
 time, entering a non volatile current time, 137
 TODAY function, 124
 transforming using get & transform, 486

 YEAR function, 124
 years between two dates, calculating, 126
DAX. *See* power pivot; functions
DAY function, 124
delimited and fixed width data, 77, 78, 466
de-normalized data. *See* get & transform
dependents, tracing, 254
developer tab, enabling, 320
digital certificates, 290
digital signatures, 292
dimension table, 558
DISTINCTCOUNT, DAX function, 598
double unary (--) operator, 196, 216
downloading the sample files, 19, 34
Dr Codd's third normal form rules, 76, 518
drill-down
 OLAP pivot table, in, 572
drill-down, pivot table, into fields, 367
dropdown list
 blank spaces, removing from, 184
 link, using dynamic arrays, 192
 searchable, creating, 186
 UNIQUE function, creating using, 182
duplicate entries, removing from tables, 100
dynamic array formula. *See also* dynamic array function, array
 @, implicit intersection operator, 180
 explained, 178
 spilling, results of, 178
 tables, inability to use within, 178
 terminology, 180
dynamic array function. *See also* dynamic array formula, array
 defined, 180

E

e-mail, hyperlink, used to send, 306
error alert messages, 90
errors
 #CALC explained, 246
 #DIV/0!, eliminating with the IF function, 118
 #DIV/0!, explained, 242
 #NA, explained, 242
 #NAME?, explained, 242
 #NULL!, explained, 244
 #NUM, explained, 242
 #REF!, explained, 244
 #SPILL explained, 246
 #VALUE!, explained, 244
background checking, detecting with, 248

- background checking, enabling and disabling, 248
- green triangle indicators, enabling and disabling, 248
- green triangle, visual indicator of, 248
- IFERROR function, 156
- manually checking for, 250
- solving, 242
- trace dependents tool, 254
- trace error tool, 253
- trace precedence tool, 252
- watch window, using to monitor cell values, 256

ETL. *See* get & transform

evaluate formula command, 111

evaluation context. *See* power pivot

EXACT function, 43

Excel

- 2019 and 365, differences between, 1
- 2019 version of, 1
- 32 and 64 bit version of, 536
- 32 bit and 64 bit version of, 426, 516
- 365 version of, 1
- how to tell which version you are using, 1
- legacy versions, defined, 176
- locale used to write this book, 19
- semi-annual update schedule, 1

extract. *See* get & transform

extract, transform and load. *See* get & transform

F

fact table, 558

files. *See also* workbooks

- macro-enabled workbook format, 342
- objects, creating from, 312
- objects, linking to, 312

filter. *See also* AutoFilter

- advanced, 38, 40, 42
- advanced with multiple OR criteria, applying, 38
- by color, 37
- by selection, 35
- case sensitive, implementing, 43
- clearing, 36
- criteria range, 38, 40
- custom, 35, 36
- exact and inexact, creating, 39
- extract records to a different worksheet using, 45
- extracting random rows from a range using, 42
- function-driven, 42
- list range, 40
- pivot table, 374, 376
- range, applying to, 34
- removing, 35
- removing advanced, 41
- slicers, filtering pivot tables with, 378
- top 10, 36
- unique records, extracting using, 44
- wildcards, use of in criteria, 39

filter context. *See* power pivot

FILTER function, 184, 194

- formatting, dynamic array returned, 184
- logic array, using with, 194

FIND function, 150

fixed width and delimited data, 77, 78

foreign key. *See also* data model

- explained, 508
- naming convention, 508

formatting. *See also* themes

- 24 hour time, 132
- custom format strings, using, 146
- data model values using power pivot, 570
- date, changing default, 132
- dynamic array, 184
- hiding values in cells using a custom format, 269
- numbers in a pivot table, 367
- power pivot, with, 570
- slicers, 379

TEXT function, to format numerical values as strings, 146

- time, changing default, 132

forms. *See* controls

formulas. *See also* functions

- auditing by tracing precedents, 252
- AutoComplete, creating with, 233
- AutoComplete, enabling and disabling, 112
- CSE array, 176
- hiding to prevent viewing of, 287
- legacy CSE array, 176
- range names, pasting into, 239
- syntax box, understanding, 112, 113
- trace dependents tool, 254
- trace error tool, 253

frequency distribution, 404

functions. *See also* formulas

- ALL, DAX function, 606
- AND, 140
- AutoComplete, 112
- AutoComplete, enabling and disabling, 112
- AVERAGE, 112

CALCULATE, DAX function, 602
CONCATENATE, 146
COUNT, 112
COUNTA, 237
COUNTIF, 102, 120
CUBEMEMBER, 576
CUBEVALUE, 574
DATE, 130
DATEDIF, 126
DAY, 124
DISTINCTCOUNT, DAX function, 598
evaluating with the *evaluate formula* command,
111
EXACT, 43
FILTER, 184, 194
FILTER, using logic arrays with, 198
FIND, 150
FV, 116
GETPIVOTDATA, 410
HLOOKUP, 158
HOUR, 136
IF, 118
IF, avoiding nesting using VLOOKUP, 119
IFERROR, 156
IFS, 164
INDEX, 162, 212, 216
INDIRECT, 194, 234
INT, 42
ISNUMBER, 186
LEFT, 148
LEN, 150
MATCH, 160, 188
MAX, 112
MID, 148
MIN, 112
MINUTE, 136
MOD, 42
MONTH, 124
MROUND, 144
NOT, 140
NOW, 136
OFFSET, 236
OR, 140
PMT, 114, 266
PV, 116
RANDARRAY, 178, 204
RIGHT, 148
ROUND, 468
ROUNDUP, 382
ROW, 42
ROWS, 204

SECOND, 136
SEQUENCE, 200, 202
SORT, 182, 188
SORTBY, 190, 218
SUBTOTAL, 51
SUM, 112
SUM, DAX function, 590, 594, 596
SUMIF, 120
SUMPRODUCT, 214, 216, 277
SWITCH, 154, 198
TABLE, 267
TEXT, 146, 200, 202
TEXTJOIN, 146
TIME, 138
TODAY, 94, 124
TRANSPOSE, 188
TRIM, 151
UNIQUE, 182
VLOOKUP, 152, 158
XLOOKUP, 206, 208, 210
XMATCH, 188, 200, 212, 216, 218
YEAR, 124
future value, explained, 115, 116
fuzzy logic, 524, 526
FV function, 116

G

gant chart, 128
geography data type. *See* linked data type
get & transform. *See also* column from examples
aggregated data query, advantages of over
pivot table, 492
aggregated data query, creating, 492
append query, creating, 498
arguments, changing for steps, 480
big data, working with, 460
calculated column, adding, 490
column from examples, examples, 506
column from examples, explained, 500
column from examples, extract characters from
strings using, 504
column from examples, extracting initials with,
502
column from examples, using with selected
source columns, 502
column, creating duplicate of, 486
column, moving, removing, renaming, filtering
and sorting, 464
column, replacing values in, 466
combining tables, de-normalizing by, 518
connection only query, creating, 540

- connections, automatically refreshing, 462
- connections, explained, 462
- custom column, adding, 490
- data model, connecting query return values directly to, 460
- data type, conversion of, 468
- data types, defined, 468
- data types, in-depth explanation of, 468
- date column, transforming, 486
- date type, setting for a column, 478
- Date.To.Text, PQFL function, 490
- delimited data, splitting using column from examples*, 500
- delimited data, splitting using split column, 466
- de-normalized data, in-depth explanation of, 518
- derived values, de-normalizing by adding, 518
- duplicate column, creating, 486
- ELT, advantages of ETL over, 458
- empty string, comparison with null value, 484
- error rows, removing, 482
- ETL (extract, transform and load), overview, 458
- ETL, advantages of, over traditional ELT, 458
- expanding joined tables, 522, 524
- extract, process explained, 458
- filtering columns, 464
- first row, using as column headers, 482
- formulas, PQFL, inspecting and editing, 480
- fuzzy logic, using in merged query, 524, 526
- get external data, advantages over, 460
- group by dialog, 492
- headers, using first row as, 482
- import data dialog, 540
- join, explanation of different types, 520
- load to, dialog options, 460
- load, process explained, 458
- M language, synonym for PQFL, 480
- merged query, creating, 520, 522, 524, 526
- moving column, 464
- multiple queries, working with, 496
- normal data, 518
- null values, comparison to empty strings, 484
- null values, in-depth explanation, 484
- number column, transforming, 488
- number scale, changing, 488
- only create connection, query type, 460, 462, 496
- overview, 458
- power pivot, adding tables to using, 540

- PQFL described, 480
- PQFL formulas, inspecting, 480
- PQFL, blank spaces, using in formulas, 498
- PQFL, Date.To.Text function, 490
- queries and connections task pane, 540
- query, connection only, creating, 540
- query, creating, 460
- query, new ribbon tab for linked tables, 460
- refresh connection automatically at timed interval, 462
- refresh, linked table connected to, 460
- removing columns, 464
- removing rows, 482
- renaming columns, 464
- renaming queries, 462
- replacing values in columns, 466
- rounding values, 488
- rows, removing, 482
- sorting columns, 464
- spaces, using in PQFL formulas, 498
- splitting delimited data, 466
- steps explained, 480
- steps, arguments, setting in, 480
- steps, deleting, 480
- time column, transforming, 486
- token weighting, in fuzzy join, 526
- transform date columns, 486
- transform number columns, 488
- transform time columns, 486
- transform, process explained, 458
- transformation table, using in fuzzy logic merged query, 526
- unpivot aggregated data, 494
- web query, creating, 460
- get external data. *See also* get & transform made redundant by get & transform, 460
- goal seek, 274
- goto special, 81
- gross profit and markup explained, 142
- group
 - pivot table date fields, 402
 - pivot table fields, 368
 - pivot table text fields, 400
 - pivot table value ranges, 404
- group box (form control), 320

H

- heirarchy
 - data model, defining in, 568
- help system

- formula AutoComplete, accessing from within, 112
- hide worksheets, columns and rows, 278
- HLOOKUP function, 158
- HOLAP, 552
- HOUR function, 136
- hyperlinks. *See* internet

I

- IF function, 118
 - avoiding nesting using VLOOKUP, 119
- IFERROR function, 156
- IFS function, 164
- INDEX function, 162, 212, 216
 - combining with MATCH, 162
- INDIRECT function, 194, 234
- initials
 - column from examples, extracting with, 502
- input message, 92
- input range (of combo box form control), 323
- INT function, 42
- IntelliSense, 112
- interest, calculating using PMT function, 114
- internet
 - address, adding to the quick access toolbar, 306
 - back button, adding to the quick access toolbar, 306
 - hyperlink to a shape, 350
 - hyperlink, adding a screen tip to, 302
 - hyperlink, inserting, 302
 - hyperlink, to a range name, 303
 - hyperlink, to an e-mail address, 306
 - hyperlink, to other workbooks, 304
 - hyperlink, to web pages, 304
 - navigation controls, adding to the quick access toolbar, 306
 - next button, adding to the quick access toolbar, 306
 - web query, creating with get & transform tool, 460
- invisible signature, adding, 292
- ISNUMBER function, 186

J

- jaccard similarity, 524, 526
- join, types of, 520

K

- key performance indicator, 600
 - base value, 600

- status threshold, 600
- target value, 600
- keyboard shortcuts
 - Create names from selection, 226
 - defined names, list, 229
 - format cells dialog, open, 132
 - function arguments dialog, display, 130
 - general format, 132
 - name manager, show, 232
- KPI. *See* key performance indicator

L

- latitude. *See* 3D map
- LEFT function, 148
- legacy CSE array formula
 - explained, 176
- LEN function, 150
- license. *See also* update channels, *See also* update channels
 - Excel 365, 28
 - perpetual and subscription, differences, 26, 28
 - subscription, 26, 28
- linked data type
 - converting back into text, 472
 - creating, 470
 - data card, adding a linked data type field using, 472
 - data card, viewing, 472
 - explained, 468
 - field, adding, 472
 - geocoding, resolving errors in, 474
 - geography, creating, 470
 - geography, using, 470
 - refreshing, 472, 474
 - stocks, using, 470
- linked table. *See* table
- load. *See* get & transform
- locale
 - used to write this book, 19
- logic array
 - creating, 194, 196
- logical expressions using AND, OR and NOT, 140
- longitude. *See* 3D map

M

- M language. *See* get & transform
- macro-enabled workbook format, 342
- macros
 - absolute references, recording with, 340

- automatically running when workbook is opened, 353
- naming, 340
- personal macro workbook, storing macro in, 340
- quick access toolbar, running from, 352
- recording with absolute references, 340
- recording with relative references, 348
- security, explained, 342
- settings, security, 344
- shapes, running from, 350
- shortcut key, defining, 341
- store macros in, explained, 340
- this workbook, storing macro in, 340
- trusted document, making a macro-enabled workbook into, 342, 346
- trusted folder, creating, 345
- VBA, relationship between, 338
- manage relationships dialog, 544
- manual calculation, 142
- many-to-many relationship
 - described, 554
 - power pivot, incompatibility with, 554
- markup and gross profit explained, 142
- MATCH function, 160, 188
 - combining with INDEX, 162
 - match type argument, explained, 160
 - using to make VLOOKUP function more resilient, 152
- MAX function, 112
- MDX. *See also* data model
 - query language explained, 572, 575
- measure. *See* power pivot
- memory
 - 64 bit excel version, better use of, 426, 516, 536
 - checking how much is available, 536
 - out of memory errors, 426, 516, 536
- merge across command, 235
- merge cells, 235
- MID function, 148
- midnight, dealing with in time calculations, 134
- MIN function, 112
- MINUTE function, 136
- MOD function, 42
- modeling. *See* data modeling
- modern data analysis
 - defined, 550
- MOLAP, 552
- MONTH function, 124
- MROUND function, 144
- munging data. *See* get & transform

N

- name box, 227
 - resizing, 231
- name manager, 232, 234
- named constants, 228
- named ranges. *See* range names
- names. *See* range names
- normal data. *See* get & transform
- NOT function, 140
- NOW function, 136
- null values, 484
- numbers
 - formatting, in pivot table, 367

O

- object data type
 - explained. *See* linked data type
- objects
 - chart, embedding into word, 310
 - copying, 311
 - drag and drop, creating by, 313
 - linking to files, 312
 - OLE (object linking and embedding), 311
 - paste special, creating by, 313
 - worksheet, embedding into word, 308
 - worksheet, linking to word, 312
- office theme, changing, 32
- office version
 - checking Excel version, 29
 - version number and build number explained, 28
- OFFSET function, 236
- OLAP. *See also* data model; OLAP pivot table; power pivot
 - accessing data model values using the CUBEMEMBER function, 576
 - data model, accessing data directly with the CUBEVALUE function, 574
 - MDX, query language, described, 572, 575
 - MOLAP, ROLAP and HOLAP, differences between, 552
 - rules, Codd's for OLAP, 548
- OLAP cube. *See* data model
- OLAP pivot table. *See also* data model; OLAP; power pivot
 - big data, ability to work with, 548
 - calculated field, workaround, 572
 - calculated item, workaround, 572
 - creating from data model, 546

- CUBEMEMBER, function, using to retrieve data from OLAP cube, 576
- CUBEVALUE, function, using to retrieve data from data model, 574
- data model, creating from, 546
- differences compared to regular pivot table, 548
- distinct count aggregation method, 598
- drill-down, limitations in, 572
- drill-down, setting maximum number of records to retrieve, 572
- GETPIVOTDATA, function, using to retrieve data from, 410, 575
- limitations of, 572
- named sets, 578
- OLAP data model, relationship to, 548
- overview, 548
- OLE (object linking and embedding), 311
- one-to-many relationship
 - creating using manage relationships dialog, 544
 - creating using power pivot, 544
 - described, 554
- operators
 - double unary (--), 196
 - implicit intersection @, 180
 - intersection, 234
- option button (form control), 320
- OR function, 140
- organizing
 - sample files folder, 34
- outlines
 - collapsing and expanding, 81

P

- page fields, 376
- password
 - open workbook, setting, 282
 - secure, creating with secure password generator, 357
- paste special
 - objects, creating with, 313
 - validation, 241
- personal macro workbook, storing macros in, 340
- pivot chart
 - creating from pivot table, 412
 - moving to its own worksheet, 412, 413
- pivot table. *See also* OLAP pivot table; pivot charts; slicers
 - activating, 367
 - big data, using to analyze, 516
 - cache. *See* data cache
 - calculated field, adding to, 396
 - calculated item, adding to, 398
 - clear filters command, 384
 - collapse and expand outline in, 369
 - column labels, 371
 - compact form layout, 390
 - creating from a table, 366
 - custom PivotTable styles, creating, 388
 - data cache, linked table, connected to, 514
 - data cache, refreshing from, 514
 - date fields, grouping by, 402
 - differences compared to OLAP pivot table, 548
 - drilling down into, 367
 - field header, showing and hiding, 397
 - field list, 367, 370
 - field, removing from, 370
 - filter, 374
 - filters, removing all from, 384
 - formatting numbers in, 367
 - formatting using PivotTable styles, 386
 - frequency distribution, 404
 - GETPIVOTDATA function, using to retrieve data from, 410
 - grand total, adding to, 395
 - grouping fields in, 368
 - linked table, as data source for, 514
 - multiple in one worksheet, embedding, 414
 - multiple summations, displaying in, 394
 - multiple worksheets, generating using report filters, 384
 - multiple, filtering with slicers, 416
 - named ranges, creating from, 366
 - numeric ranges, grouping by, 404
 - outline form layout, 391
 - percentage, show row data by, 406
 - refresh data in, 514
 - report filter fields, using, 376
 - report layouts, 390
 - row labels, 370
 - rows, hiding, 397
 - slicers, filtering with, 378
 - sort, 374
 - subtotals, adding and removing, 392
 - tabular form layout, 391
 - text fields, grouping by, 400
 - values, 370
- PMT function, 114
- power map. *See* 3D map
- power pivot. *See also* data modelling; KPI; power pivot rules

- 64 bit version of Excel vs 32 bit, advantages of, 536
- add-in, installing, 538
- ALL, DAX function, 606
- CALCULATE, DAX function, 602
- calculated area, enabling and disabling, 586
- calculated column, adding, 588
- calculated column, described, 586
- calculated field, older name for calculated measure, 590
- calculated measure dialog, 596
- calculated measure, adding, 590, 596
- calculated measure, described, 586
- calendar table, adding to data model, 568
- column, calculated, adding, 588
- column, calculated, described, 586
- column, renaming, 588
- context, comparison of row and filter, 594
- crash, recovering from, 538
- data view, displaying, 588
- diagram view, displaying, 544
- DISTINCTCOUNT, DAX function, 598
- evaluation context, 594
- explicit vs implicit measures, 592
- filter context, explained, 594
- formatting values in, 570, 588
- heirarchy defining in data model, 568
- implicit vs explicit measures, 592
- installing, 538
- many-to-many relationship, incompatibility with, 554
- measure, adding, 590, 596
- measure, described, 586
- memory issues when using, 424, 536
- OLAP pivot table, creating from, 546
- OLAP, MOLAP, HOLAP and ROLAP, differences between, 552
- pasting data into a new table with, 542
- relationship, creating with, 544
- relationships, automatic creation of, 546
- repairing, when tab disappears, 538
- row context, explained, 594
- SSAS, advantages of hosting data model on, 536
- SUM, DAX function, 590, 594, 596
- tab, restoring if it disappears, 538
- tables, adding to via get & transform, 540
- window, differences compared with Excel, 542
- window, opening, 538
- window, overview, 542, 586
- xVelocity engine, advantages of, 592

- year-on-year growth, calculating, 604
- power pivot rules
 - data modeling, 616
 - DAX measures, creation of, 619
 - get & transform, 614
 - naming convention for tables, columns and measures, 617
- power query. *See* get & transform
- Power View
 - retired product, now part of Power BI, 424
- PQFL. *See also* get & transform
 - Date.To.Text function, 490
- precedence rules in formulas, 110
- precedents, tracing, 254
- pre-processing data. *See* get & transform
- present value, explained, 116
- primary key. *See also* data model
 - explained, 508
 - meaningless, importance of, 508
 - naming convention, 508
 - unique, neccessity to be, 508
- profit, difference between markup and gross profit, 142
- project management, Excel's suitability for, 128
- protected view, 35
 - potential problems with when downloading sample files, 34
- PV function, 116

Q

- query. *See also* get & transform
 - deleting, 564
- quick analysis, 46
 - converting a range to a table using, 50
 - percentages, adding using, 48
 - running totals, adding using, 48
 - totals, adding using, 46
- quotations
 - Abraham Maslow, 365
 - Albert Einstein, 171
 - Alexander McCall Smith, 423
 - Benjamin Disraeli, 25
 - Carly Fiorina, 457
 - Confucius, 5, 265
 - George Bernard Shaw, 75
 - George Orwell, 109
 - Gordon B. Hinckley, 585
 - Kathryn Minshew, 301
 - Plutarch, 225
 - Sir Arthur C. Clarke, 535
 - Winston Churchill, 4

R

RANDARRAY function, 178, 204

range names

- apply names command, 231
- automatically creating, 226
- automatically creating in two dimensions, 232
- creating from selection command, 232
- creating manually, 228
- dynamic, creating using OFFSET function, 236
- dynamic, uses of, 236
- explained, 226
- formulas, make more readable with, 230
- formulas, using in, 227
- hyperlinks, creating to point to, 303
- INDIRECT function, 234
- intersection operator, using with, 234
- name manager, 232, 234
- named constants, 228
- pasting into formulas using the paste name dialog, 239
- pivot table, creating from, 366
- qualified and unqualified references to, 228
- scope, workbook and worksheet, 228
- syntax rules for, 227
- table based, creating, 238
- validations, using with, 240
- viewing, 230

ranges. *See also* range names

- AutoFilter, applying to, 34
- consolidating, 84
- duplicate entries, removing from, 100
- sorting by column, 58
- sorting by row, 56
- subtotals, create automatically, 80
- table, converting into, 50
- table, creating from, 52
- unique constraint, adding to, 102

read only worksheet

- creating, 287
- hiding to prevent viewing of, 287

regional settings, 132

relational database

- data model, creating from, 552
- described, 508
- OLTP database design explained, 556
- star schema, creating from, 558
- view, using in, 512

relationship

- creating using manage relationships dialog, 544
- creating using power pivot, 544
- creating using VLOOKUP function, 510

- explained, 508
- importing, from a relational database, 552
- manage relationships dialog, 544
- many-to-many link table naming convention, 554
- many-to-many, explained, 554
- one-to-many, explained, 554

ribbon

- custom groups, adding to, 356
- customizations, saving to a file, 359
- tabs, showing and hiding, 354

RIGHT function, 148

ROLAP, 552

ROUND function, 468

ROUNDUP function, 382

row context. *See* power pivot

ROW function, 42

ROWS function, 204

rules. *See* power pivot rules

S

sample files

- downloading, 19, 34
- organizing folder, 34

scenario summary report, creating, 272

scenarios

- defining, 270
- goal seek, 274
- merging, 272
- quick access toolbar, viewing from, 271
- scenario manager, 271
- scenario summary report, creating, 272

scheduling equation, 128

schema, 522

- snowflake schema, 558
- star schema, 558

screen tip, adding to a hyperlink, 302

screenshot (sidebar), 287

scrubbing data. *See* get & transform

SECOND function, 136

security

- custom views, creating and viewing, 280
- digital certificate, implementing macro security with, 344
- digital certificates, 290
- digital signature, adding invisible, 292
- hide worksheets, columns and rows, 278
- locking cells to prevent users changing them, 286, 337
- macro, 342
- multiple levels for one worksheet, 288

- password to open, setting, 282
- passwords, choosing secure, 282
- read only worksheet, creating, 287
- structure and windows, protecting with a
 - password, 284
- trust center, 344
- trusted document, creating, 346
- trusted folder, creating, 345
- unhide worksheets, columns and rows, 278
- visible signature, adding, 294
- self-service BI. *See also* 3D Map, Power Pivot, Get & Transform
 - comparison with earlier OLAP implementation methods, 548
 - suite explained, 424
- semi-annual Excel updates, 1
- SEQUENCE function, 200, 202
- shapes, running macros from, 350
- shaping data. *See* get & transform
- shortcut keys
 - recalculate workbook, 137
 - time, entering a non volatile current time, 137
- signature, digital, 292
- slicers, 378
 - columns, changing number of, 379
 - connect multiple pivot tables to, 416
 - date-driven interface, creating with, 382
 - filtering multiple pivot tables with, 416
 - filtering pivot table with, 378
 - formatting, 379
 - ranges, filtering with, 50
 - re-sizing, 379
 - style, changing, 379
 - timeline, 380
- smart tag
 - using to correct errors, 249
- snowflake schema, 558
- solver, 276
- sort
 - by cell color, 56
 - by conditional formatting icon, 56
 - by font color, 56
 - custom list, by, 60
 - left to right, 59
 - multiple criteria, using in, 56
 - options, 59
 - pivot table, 374
 - range by column, 58
 - range or table by row, 56
- SORT function, 182, 188
- SORTBY function, 190, 218
- sounds
 - enabling audio cues, 32
- speak cells, 258
- special items. *See* structured references
- spilled range
 - formatting, 184
- spilling, 178
- split text using Text to Columns, 77
- sql
 - described, 512
- SQL Server. *See also* SSAS
- sql server analysis services. *See* SSAS
- SSAS
 - described, 536
 - OLAP data model hosting, advantages of, 536
 - solving memory issues by hosting data model on, 536
 - version history, 536
- star schema, 558
- status threshold
 - in kpi, 600
- stocks data type. *See* linked data type
- strings
 - CONCATENATE function, 146
 - concatenating using & operator, 144
 - custom format codes, 146
 - FIND function, 150
 - LEFT function, 148
 - LEN function, 150
 - MID function, 148
 - numerical, converting to, 149
 - RIGHT function, 148
 - TEXT function, 146
 - TEXTJOIN function, 146
 - TRIM function, 151
- structure, protecting with a password, 284
- structured query language. *See* sql
- structured references. *See also* tables
 - enabling and disabling, 62
 - special items, using in, 66
 - unqualified and qualified, explained, 68
- styles
 - pivot table, creating custom style in, 388
 - pivot table, using in, 386
 - table, 52
- SUBTOTAL function, 51
- subtotals. *See also* ranges, tables
 - copy subtotals only, 81
 - grand total, adding to pivot table, 395
 - nested, creating, 81, 82
 - pivot table, adding to, 392

tables, generate from using data consolidation, 86

SUM function, 112

SUM, DAX function, 594

SUMIF function, 120

SUMPRODUCT function, 214, 216, 277

SWITCH function, 154, 198

T

table. *See also* structured references

- calculated columns in, explained, 68
- creating a pivot table from, 366
- custom style, creating, 54
- data source, linking to, 514
- dimension table, explained, 558
- duplicate entries, removing, 100
- fact table, explained, 558
- formatting, 52
- get & transform query, linking to, 460
- linked, detailed explanation of, 514
- linked, refreshing, 460, 514
- linked, refreshing, automatically at timed interval, 462
- linked, unlinking, 514
- linking to get & transform query, 460
- naming, 63, 239
- new rows and columns, enabling and disabling automatic inclusion in, 63
- power pivot, adding to, 540
- range names, associating with, 239
- range, converting to, 50, 52
- slicers, using with, 50
- sorting by row, 56
- structured reference, creating manually, 64
- structured reference, explained, 62
- structured reference, using, 62
- style options, 52
- style, custom, creating, 54
- styles gallery, 52
- total row, adding to, 51
- total row, showing average values in, 51
- unique constraint, implementing, 102
- unlinking, 514

target value

- in kpi, 600

temperature gauge chart, 332

TEXT function, 146, 200, 202

text to columns, 76, 78

TEXTJOIN function, 146

the smart method

- learning by participation, 5

- two facing pages rule, 4

themes. *See also* office theme

- applying to a workbook, 52
- restricting color choice to, rationale for, 54

third normal form, 76, 518

TIME function, 138

timeline. *See* slicers

times. *See* dates and times

TODAY function, 94, 124

totals

- adding using quick analysis, 46

trace dependents tool, 254

trace error tool, 253

trace precedents of formulas, 252

transform. *See* get & transform

TRANSPOSE function, 188

TRIM function, 151

trust center, 344

trusted document, 342, 346

- list, clearing, 347

trusted folder, creating, 345

U

unhide worksheets, columns and rows, 278

unique

- constraint, adding to ranges and tables, 102
- records, extracting using advanced filter, 44

UNIQUE function, 182

unlink table. *See* table

unpivot. *See* get & transform

update channels

- automatic updates, enabling, 26, 28
- explained, 26, 28

updates. *See* update channels, *See* update channels

V

validation

- custom, 98
- date, 94
- dynamically changing based on a cell value, 240
- error alert messages, 90
- formula driven, 94, 241
- input message, 92
- link together using range names, 240
- list, 96, 241
- mandatory and advisory, 91
- numeric data, 88
- removing from selected cells, 241
- source, different ways of defining, 96

- style, 91
- text length, 94
- VBA, 338
- view
 - in relational database, explained, 512
- visible signature, adding, 294
- visualizations, 57
- VLOOKUP function, 152, 158
 - exact lookup, using for, 152
 - inexact lookup, using for, 158
 - relationship, creating using, 510

W

- watch window, 256
- web. *See* internet
- what-if analysis. *See also* data tables, scenarios
 - data table, single-input, creating, 266
 - data table, two-input, creating, 268
 - goal seek, 274
 - scenario manager, 271
 - scenario summary report, creating, 272
 - scenarios, defining, 270
 - scenarios, merging, 272
 - solver, using, 276
- wildcards
 - use of in filter criteria, 39, 208

- use of in logical criteria, 121
- word
 - embedding a chart object into, 310
 - embedding a worksheet object into, 308
 - linking an Excel worksheet to, 312
- word documents, hyperlink to, 305
- workbooks
 - macros, running automatically when opened, 353
 - recalculating, 137
- working days
 - calculating using DAX DISTINCTCOUNT function, 598
- wrangling data. *See* get & transform

X

- XLOOKUP function, 206, 208, 210
- XMATCH function, 188, 200, 212, 216, 218
- xVelocity engine, 550, 592

Y

- Y2K bug, 249
- YEAR function, 124
- year-on-year growth
 - calculating using power pivot, 604