

Index

#

- #All special item, 63
- #Data special item, 62
- #Header special item, 63
- #ThisRow special item, 63
- #Totals special item, 63

2

- 2019
 - version of Excel. *See* Excel

3

- 32-bit version of Excel compared to 64-bit version, 472
- 365
 - version of Excel. *See* Excel
- 3D map
 - animation, creating from temporal data, 386
 - animation, different methods explained, 386
 - annotation, adding to, 384
 - bubble visualization, 378, 380
 - categories, visualizing multiple, 380
 - category field, adding, 380
 - clustered column visualization, 378
 - creating, 366
 - custom image, using with, 382
 - data card, customizing, 374
 - edit time dialog, 386
 - filter, applying to, 372
 - fly over maps, how to, 388
 - geocoding, explained, 368
 - heat map visualization, 378
 - height field, adding, 376
 - image, adding to annotation, 384
 - layer options, setting, 374
 - layers, hiding and showing, 382
 - layers, using multiple, 382
 - location markers, changing opacity of, 374
 - location markers, changing size and color of, 374
 - location pane, using, 370
 - longitude and latitude, correct formatting of values for, 382
 - longitude and latitude, explained, 382
 - map labels, using, 370

- map, re-positioning, 372
- mapping confidence dialog, 369
- mercator projection, explained, 370
- MP4 file, saving video as, 386
- overview, 363
- pie chart visualization, 380
- region visualization, 378
- rotating, left and right, 376
- scene options, setting, 388
- scene, adding new, 390
- scenes, understanding, 388
- scenes, working with multiple, 390
- stacked column visualization, 380
- task panes, hiding and showing, 372
- temporal data, creating video from, 386
- temporal data, explained, 366
- text box, adding to, 384
- tilting, up and down, 376
- time scrubber, using to navigate video, 386
- time values, formatting, 386
- transition effects, setting, 388, 390
- video resolution, options explained, 386
- video, creating from temporal data, 386
- video, saving as MP4 file, 386
- visualization, different types explained, 378
- X and Y co-ordinates, using with custom image, 382
- zoom, in and out of, 370

6

- 64-bit version of Excel compared to 32-bit version, 472

A

- absolute and relative cell references, 116
- access database
 - limitations of, 456
- activate
 - pivot table, 307
- ActiveX controls, 260
- add-in
 - power pivot, installing, 474
 - solver, 216
- advanced filter. *See* filter
- ALL, DAX function, 540
- Analysis Services. *See* SSAS
- AND function, 136

apply names command, 173
asymmetric
 creating using named sets, 512
audio cues, enabling, 28
AutoComplete, 108
 enabling and disabling, 108
 formula entry using, 108
AutoFill, 65
AutoFilter. *See also* filter
 custom, 31, 32
 range, applying to, 30
automatic calculation, 138
AVERAGE function, 108

B

background error checking, enabling and
 disabling, 188
base value
 in kpi, 534
big data
 ability of OLAP pivot tables to work with, 484
 defined, 456
 get & transform queries, using to work with,
 400
 modern data analysis, support for, 486
 pivot table, using to analyze, 456
boolean criteria, 136
business intelligence. *See also* OLAP; power pivot
 defined, 484
business rules, explained, 84
button control (form control), 292

C

calculate sheet command, 133
CALCULATE, DAX function, 536
calculated column. *See* power pivot; get &
 transform
calculated columns
 in tables, switching on, 64
calculated field. *See* power pivot, *See* pivot table
calculated item. *See* pivot table
calculated measure. *See* power pivot
calculated measure dialog. *See* power pivot
calculation options (manual and automatic), 138
calendar table. *See* data modeling
case sensitive filter, implementing, 39
cell link, of form controls, setting, 264
cells, 54
 hiding values in using a custom format, 209
 input and result, 206

 locking to prevent users changing them, 226
 merging, 177
 speaking, 198
 unlocking, 227, 277
 watch window, monitoring values in, 196
channels. *See* update channels
chart source data
 hidden and empty cells button, 277
charts. *See also* pivot chart; chart source data
 bar chart, creating, 74
 gant chart, 124
 hidden and empty cells button, 277
 pie charts, 276
 temperature gauge, creating, 272
check box (form control), 268
classic data analysis
 defined, 486
cleansing data. *See* get & transform
clear filters command (pivot table), 324
collapsing and expanding an outline, 77
column from examples
 delimited data, splitting using, 440
 examples, 446
 explained, 440
 extract characters from strings using, 444
 extracting initials with, 442
 using with selected source columns, 442
combo box (form control), 262
CONCATENATE function, 142
concatenation operator (&), 140
conditional formatting. *See also* visualizations
connection. *See also* get & transform
 explained, 402
 properties, 402
 queries and connections task pane, 476
 refresh automatically at timed interval, 402
consolidate data from multiple ranges, 80
constants, named constants, 171
context. *See* power pivot
controls
 ActiveX and form, differences between, 261
 button control (form control) adding, 292
 cell link of form controls, setting, 264
 check box (form control), adding, 268
 check box (form control), use value of, 270
 combo box (form control), adding, 262
 form and ActiveX, differences between, 261
 group box (form control), adding, 260
 input range, setting for combo box (form
 control), 263
 option button (form control), adding, 260

- COUNT function, 108
- COUNTA function, 179
- COUNTIF function, 98, 116
- creating from selection command, 174
- criteria range, creating, for advanced filter, 34
- CSV files, splitting into columns, 74
- cube. *See* data model
- custom filter, 31
- custom formatting codes, 142, 209
- custom lists
 - creating, 56
 - sorting by, 56
- custom styles, use in pivot tables, 328
- custom views, creating and viewing, 220

D

- data
 - delimited and fixed width, 73
 - input messages, 88
 - validation, 84
- data card
 - adding a linked data type field using. *See also* linked data type
- data cleansing. *See* get & transform
- data model. *See also* OLAP pivot table; OLAP; Power Pivot
 - calendar table, adding to, 502
 - created by specialized staff for use by regular users, 364
 - creating, from a relational database, 490
 - CUBEVALUE function, using to retrieve data from, 508
 - foreign key, explained, 448
 - formatting values in, 504
 - get & transform query, connecting directly to, 400
 - hiding columns in, 500
 - MDX code, used within CUBEVALUE function, 509
 - MDX query language, described, 506, 509
 - memory issues when using, 364, 472
 - memory issues, solving by hosting model on SSAS, 472
 - OLAP pivot table, creating from, 482, 484
 - primary key, explained, 448
 - relationship, many-to-many, explained, 488
 - relationship, one-to-many, explained, 488
 - removing columns from, 500
 - renaming columns in, 500
 - snowflake data model, creating, from relational database, 496
 - star data model, converting snowflake data model into, 498
- data modeling. *See also* Power Pivot
 - calendar table, adding to data model, 502
 - formatting values in, 504
 - OLAP database design explained, 494
 - OLTP database design explained, 492, 494
 - overview, 469
 - snowflake data model, creating from relational database, 496
 - snowflake schema, 494
 - star data model, converting snowflake data model into, 498
 - star schema, 494
- data munging. *See* get & transform
- data pre-processing. *See* get & transform
- data scrubbing. *See* get & transform
- data shaping. *See* get & transform
- data table
 - column input cell, 207
 - row input cell, 207
 - single-input, creating, 206, 274
 - two-input, creating, 208
- data types, 408, *See also* linked data types; get & transform
 - get & transform supported data types, defined, 408
 - native, 408
 - non-scalar, 408
 - object, 408
 - scalar, 408
 - setting in get & transform, 418
- data wrangling. *See* get & transform
- database. *See* relational database; data model
- DATE function, 126
- date of birth, calculating from age, 122
- DATEDIF function, 122
- dates and times
 - 24-hour format, applying, 128
 - age, calculating from date of birth, 122
 - current date, entering as non volatile, 121
 - DATE function, 126
 - DATEDIF function, 122
 - DAY function, 120
 - days between two dates, calculating, 122
 - difference in days between two dates, calculating, 119
 - formatting, changing default, 128
 - HOUR function, 132
 - midnight, time calculations that span, 130
 - MINUTE function, 132

- minutes, converting to hours and minutes, 38
- MONTH function, 120
- monthly totals, group into using a pivot table, 342
- months between two dates, calculating, 122
- NOW function, 132
- offset days, months and years, 126
- offsetting a date by a specific interval, 124
- SECOND function, 132
- serial number, explained, 118
- TIME function, 134
- time value, containment within dates, 118
- time, entering a non volatile current time, 133
- TODAY function, 120
- transforming using get & transform, 426
- YEAR function, 120
- years between two dates, calculating, 122

DAX. *See* power pivot; functions

DAY function, 120

delimited and fixed width data, 73, 74, 406

de-normalized data. *See* get & transform

dependents, tracing, 194

developer tab, enabling, 260

digital certificates, 230

digital signatures, 232

dimension table, 494

DISTINCTCOUNT, DAX function, 532

downloading the sample files, 19, 30

Dr Codd's third normal form rules, 72, 458

drill-down

- OLAP pivot table, in, 506

drill-down, pivot table, into fields, 307

duplicate entries, removing from tables, 96

E

e-mail, hyperlink, used to send, 246

error alert messages, 86

errors

- #DIV/0!, eliminating with the IF function, 114
- #DIV/0!, explained, 184
- #NA, explained, 184
- #NAME?, explained, 184
- #NULL!, explained, 186
- #NUM, explained, 184
- #REF!, explained, 186
- #VALUE!, explained, 186
- background checking, detecting with, 188
- background checking, enabling and disabling, 188
- green triangle indicators, enabling and disabling, 188
- green triangle, visual indicator of, 188

IFERROR function, 152

manually checking for, 190

solving, 184

trace dependents tool, 194

trace error tool, 193

trace precedence tool, 192

watch window, using to monitor cell values, 196

ETL. *See* get & transform

evaluate formula command, 107

evaluation context. *See* power pivot

EXACT function, 39

Excel

- 2019 and 365, differences between, 1
- 2019 version of, 1
- 32 and 64 bit version of, 472
- 32 bit and 64 bit version of, 366, 456
- 365 version of, 1
- how to tell which version you are using, 1
- locale used to write this book, 19
- semi-annual update schedule, 1

extract. *See* get & transform

extract, transform and load. *See* get & transform

F

fact table, 494

files. *See also* workbooks

- macro-enabled workbook format, 282
- objects, creating from, 252
- objects, linking to, 252

filter. *See also* AutoFilter

- advanced, 34, 36, 38
- advanced with multiple OR criteria, applying, 34
- by color, 33
- by selection, 31
- case sensitive, implementing, 39
- clearing, 32
- criteria range, 34, 36
- custom, 31, 32
- exact and inexact, creating, 35
- extract records to a different worksheet using, 41
- extracting random rows from a range using, 38
- function-driven, 38
- list range, 36
- pivot table, 314, 316
- range, applying to, 30
- removing, 31
- removing advanced, 37

- slicers, filtering pivot tables with, 318
- top 10, 32
- unique records, extracting using, 40
- wildcards, use of in criteria, 35
- filter context. *See* power pivot
- FIND function, 146
- fixed width and delimited data, 73, 74
- foreign key. *See also* data model
 - explained, 448
 - naming convention, 448
- formatting. *See also* themes
 - 24 hour time, 128
 - custom format strings, using, 142
 - data model values using power pivot, 504
 - date, changing default, 128
 - hiding values in cells using a custom format, 209
 - numbers in a pivot table, 307
 - power pivot, with, 504
 - slicers, 319
 - TEXT function, to format numerical values as strings, 142
 - time, changing default, 128
- forms. *See* controls
- formulas. *See also* functions
 - auditing by tracing precedents, 192
 - AutoComplete, creating with, 175
 - AutoComplete, enabling and disabling, 108
 - hiding to prevent viewing of, 227
 - range names, pasting into, 181
 - syntax box, understanding, 108, 109
 - trace dependents tool, 194
 - trace error tool, 193
- frequency distribution, 344
- functions. *See also* formulas
 - ALL, DAX function, 540
 - AND, 136
 - AutoComplete, 108
 - AutoComplete, enabling and disabling, 108
 - AVERAGE, 108
 - CALCULATE, DAX function, 536
 - CONCATENATE, 142
 - COUNT, 108
 - COUNTA, 179
 - COUNTIF, 98, 116
 - CUBEMEMBER, 510
 - CUBEVALUE, 508
 - DATE, 126
 - DATEDIF, 122
 - DAY, 120
 - DISTINCTCOUNT, DAX function, 532
 - evaluating with the *evaluate formula* command, 107
 - EXACT, 39
 - FIND, 146
 - FV, 112
 - GETPIVOTDATA, 350
 - HLOOKUP, 154
 - HOUR, 132
 - IF, 114
 - IF, avoiding nesting using VLOOKUP, 115
 - IFERROR, 152
 - IFS, 160
 - INDEX, 151, 158
 - INDIRECT, 176
 - INT, 38
 - LEFT, 144
 - LEN, 146
 - MATCH, 151, 156
 - MAX, 108
 - MID, 144
 - MIN, 108
 - MINUTE, 132
 - MOD, 38
 - MONTH, 120
 - MROUND, 140
 - NOT, 136
 - NOW, 132
 - OFFSET, 178
 - OR, 136
 - PMT, 110, 206
 - PV, 112
 - RIGHT, 144
 - ROUND, 408
 - ROUNDUP, 322
 - ROW, 38
 - SECOND, 132
 - SUBTOTAL, 47
 - SUM, 108
 - SUM, DAX function, 524, 528, 530
 - SUMIF, 116
 - SUMPRODUCT, 217
 - SWITCH, 150
 - TABLE, 207
 - TEXT, 142
 - TEXTJOIN, 142
 - TIME, 134
 - TODAY, 90, 120
 - TRIM, 147
 - VLOOKUP, 148, 154
 - YEAR, 120
- future value, explained, 111, 112

FV function, 112

G

gantt chart, 124

geography data type. *See* linked data type

get & transform. *See also* column from examples

- aggregated data query, advantages of over pivot table, 432

- aggregated data query, creating, 432

- append query, creating, 438

- arguments, changing for steps, 420

- big data, working with, 400

- calculated column, adding, 430

- column from examples, examples, 446

- column from examples, explained, 440

- column from examples, extract characters from strings using, 444

- column from examples, extracting initials with, 442

- column from examples, using with selected source columns, 442

- column, creating duplicate of, 426

- column, moving, removing, renaming, filtering and sorting, 404

- column, replacing values in, 406

- combining tables, de-normalizing by, 458

- connection only query, creating, 476

- connections, automatically refreshing, 402

- connections, explained, 402

- custom column, adding, 430

- data model, connecting query return values directly to, 400

- data type, conversion of, 408

- data types, defined, 408

- data types, in-depth explanation of, 408

- date column, transforming, 426

- date type, setting for a column, 418

- Date.To.Text, PQFL function, 430

- delimited data, splitting using column from examples, 440

- delimited data, splitting using split column, 406

- de-normalized data, in-depth explanation of, 458

- derived values, de-normalizing by adding, 458

- duplicate column, creating, 426

- ELT, advantages of ETL over, 398

- empty string, comparison with null value, 424

- error rows, removing, 422

- ETL (extract, transform and load), overview, 398

- ETL, advantages of, over traditional ELT, 398

- expanding joined tables, 462

- extract, process explained, 398

- filtering columns, 404

- first row, using as column headers, 422

- formulas, PQFL, inspecting and editing, 420

- get external data, advantages over, 400

- group by dialog, 432

- headers, using first row as, 422

- import data dialog, 476

- join, explanation of different types, 460

- load to, dialog options, 400

- load, process explained, 398

- M language, synonym for PQFL, 420

- merged query, creating, 460, 462

- moving column, 404

- multiple queries, working with, 436

- normal data, 458

- null values, comparison to empty strings, 424

- null values, in-depth explanation, 424

- number column, transforming, 428

- number scale, changing, 428

- only create connection, query type, 400, 402, 436

- overview, 398

- power pivot, adding tables to using, 476

- PQFL described, 420

- PQFL formulas, inspecting, 420

- PQFL, blank spaces, using in formulas, 438

- PQFL, Date.To.Text function, 430

- queries and connections task pane, 476

- query tools, new ribbon tab for linked tables, 400

- query, connection only, creating, 476

- query, creating, 400

- refresh connection automatically at timed interval, 402

- refresh, linked table connected to, 400

- removing columns, 404

- removing rows, 422

- renaming columns, 404

- renaming queries, 402

- replacing values in columns, 406

- rounding values, 428

- rows, removing, 422

- sorting columns, 404

- spaces, using in PQFL formulas, 438

- splitting delimited data, 406

- steps explained, 420

- steps, arguments, setting in, 420

- steps, deleting, 420

- time column, transforming, 426
- transform date columns, 426
- transform number columns, 428
- transform time columns, 426
- transform, process explained, 398
- unpivot aggregated data, 434
- web query, creating, 400
- get external data. *See also* get & transform
 - made redundant by get & transform, 400
- goal seek, 214
- goto special, 77
- gross profit and markup explained, 138
- group
 - pivot table date fields, 342
 - pivot table fields, 308
 - pivot table text fields, 340
 - pivot table value ranges, 344
- group box (form control), 260

H

- heirarchy
 - data model, defining in, 502
- help system
 - formula AutoComplete, accessing from within, 108
- hide worksheets, columns and rows, 218
- HLOOKUP function, 154
- HOLAP, 490
- HOUR function, 132
- hyperlinks. *See* internet

I

- IF function, 114
 - avoiding nesting using VLOOKUP, 115
- IFERROR function, 152
- IFS function, 160
- INDEX function, 151, 158
 - combining with MATCH, 151, 158
- INDIRECT function, 176
- initials
 - column from examples, extracting with, 442
- input message, 88
- input range (of combo box form control), 263
- INT function, 38
- IntelliSense, 108
- interest, calculating using PMT function, 110
- internet
 - address, adding to the quick access toolbar, 246
 - back button, adding to the quick access toolbar, 246

- hyperlink to a shape, 290
- hyperlink, adding a screen tip to, 242
- hyperlink, inserting, 242
- hyperlink, to a range name, 243
- hyperlink, to an e-mail address, 246
- hyperlink, to other workbooks, 244
- hyperlink, to web pages, 244
- navigation controls, adding to the quick access toolbar, 246
- next button, adding to the quick access toolbar, 246
- web query, creating with get & transform tool, 400

invisible signature, adding, 232

J

- join, types of, 460

K

- key performance indicator, 534
 - base value, 534
 - status threshold, 534
 - target value, 534
- keyboard shortcuts
 - Create names from selection, 168
 - defined names, list, 171
 - format cells dialog, open, 128
 - function arguments dialog, display, 126
 - general format, 128
 - name manager, show, 174
- KPI. *See* key performance indicator

L

- latitude. *See* 3D map
- LEFT function, 144
- LEN function, 146
- license. *See also* update channels
 - Excel 365, 26
 - perpetual and subscription, differences, 26
 - subscription, 26
- linked data type
 - converting back into text, 412
 - creating, 410
 - data card, adding a linked data type field
 - using, 412
 - data card, viewing, 412
 - explained, 408
 - field, adding, 412
 - geocoding, resolving errors in, 414
 - geography, creating, 410

- geography, using, 410
- refreshing, 412, 414
- stocks, using, 410
- linked table. *See* table
- load. *See* get & transform
- locale
 - used to write this book, 19
- logical expressions using AND, OR and NOT, 136
- longitude. *See* 3D map

M

- M language. *See* get & transform
- macro-enabled workbook format, 282
- macros
 - absolute references, recording with, 280
 - automatically running when workbook is opened, 293
 - naming, 280
 - personal macro workbook, storing macro in, 280
 - quick access toolbar, running from, 292
 - recording with absolute references, 280
 - recording with relative references, 288
 - security, explained, 282
 - settings, security, 284
 - shapes, running from, 290
 - shortcut key, defining, 281
 - store macros in, explained, 280
 - this workbook, storing macro in, 280
 - trusted document, making a macro-enabled workbook into, 282, 286
 - trusted folder, creating, 285
 - VBA, relationship between, 278
- manage relationships dialog, 480
- manual calculation, 138
- many-to-many relationship
 - described, 488
 - power pivot, incompatibility with, 488
- markup and gross profit explained, 138
- MATCH function, 151, 156
 - combining with INDEX, 151, 158
 - match type argument, explained, 151, 156
 - using to make VLOOKUP function more resilient, 148
- MAX function, 108
- MDX. *See also* data model
 - query language explained, 506, 509
- measure. *See* power pivot
- memory
 - 64 bit excel version, better use of, 366, 456, 472
 - checking how much is available, 472

- out of memory errors, 366, 456, 472
- merge across command, 177
- merge cells, 177
- MID function, 144
- midnight, dealing with in time calculations, 130
- MIN function, 108
- MINUTE function, 132
- MOD function, 38
- modeling. *See* data modeling
- modern data analysis
 - defined, 486
- MOLAP, 490
- MONTH function, 120
- MROUND function, 140
- munging data. *See* get & transform

N

- name box, 169
 - resizing, 173
- name manager, 174, 176
- named constants, 170
- named ranges. *See* range names
- names. *See* range names
- normal data. *See* get & transform
- NOT function, 136
- NOW function, 132
- null values, 424
- numbers
 - formatting, in pivot table, 307

O

- object data type
 - explained. *See* linked data type
- objects
 - chart, embedding into word, 250
 - copying, 251
 - drag and drop, creating by, 253
 - linking to files, 252
 - OLE (object linking and embedding), 251
 - paste special, creating by, 253
 - worksheet, embedding into word, 248
 - worksheet, linking to word, 252
- office theme, changing, 28
- office version
 - checking Excel version, 27
 - version number and build number explained, 26
- OFFSET function, 178
- OLAP. *See also* data model; OLAP pivot table; power pivot

- accessing data model values using the
 - CUBEMEMBER function, 510
- data model, accessing data directly with the
 - CUBEVALUE function, 508
- MDX, query language, described, 506, 509
- MOLAP, ROLAP and HOLAP, differences
 - between, 490
 - rules, Codd's for OLAP, 484
- OLAP cube. *See* data model
- OLAP pivot table. *See also* data model; OLAP;
 - power pivot
 - big data, ability to work with, 484
 - calculated field, workaround, 506
 - calculated item, workaround, 506
 - creating from data model, 482
 - CUBEMEMBER, function, using to retrieve
 - data from OLAP cube, 510
 - CUBEVALUE, function, using to retrieve data
 - from data model, 508
 - data model, creating from, 482
 - differences compared to regular pivot table,
 - 484
 - distinct count aggregation method, 532
 - drill-down, limitations in, 506
 - drill-down, setting maximum number of
 - records to retrieve, 506
 - GETPIVOTDATA, function, using to retrieve
 - data from, 350, 509
 - limitations of, 506
 - named sets, 512
 - OLAP data model, relationship to, 484
 - overview, 484
 - OLE (object linking and embedding), 251
 - one-to-many relationship
 - creating using manage relationships dialog, 480
 - creating using power pivot, 480
 - described, 488
 - operators
 - intersection, 176
 - option button (form control), 260
 - OR function, 136
 - organizing
 - sample files folder, 30
 - outlines
 - collapsing and expanding, 77
 - secure, creating with secure password
 - generator, 297
 - paste special
 - objects, creating with, 253
 - validation, 183
 - personal macro workbook, storing macros in, 280
 - pivot chart
 - creating from pivot table, 352
 - moving to its own worksheet, 352, 353
 - pivot table. *See also* OLAP pivot table; pivot
 - charts; slicers
 - activating, 307
 - big data, using to analyze, 456
 - cache. *See* data cache
 - calculated field, adding to, 336
 - calculated item, adding to, 338
 - clear filters command, 324
 - collapse and expand outline in, 309
 - column labels, 311
 - compact form layout, 330
 - creating from a table, 306
 - custom PivotTable styles, creating, 328
 - data cache, linked table, connected to, 454
 - data cache, refreshing from, 454
 - date fields, grouping by, 342
 - differences compared to OLAP pivot table, 484
 - drilling down into, 307
 - field header, showing and hiding, 337
 - field list, 307, 310
 - field, removing from, 310
 - filter, 314
 - filters, removing all from, 324
 - formatting numbers in, 307
 - formatting using PivotTable styles, 326
 - frequency distribution, 344
 - GETPIVOTDATA function, using to retrieve
 - data from, 350
 - grand total, adding to, 335
 - grouping fields in, 308
 - linked table, as data source for, 454
 - multiple in one worksheet, embedding, 354
 - multiple summations, displaying in, 334
 - multiple worksheets, generating using report
 - filters, 324
 - multiple, filtering with slicers, 356
 - named ranges, creating from, 306
 - numeric ranges, grouping by, 344
 - outline form layout, 331
 - percentage, show row data by, 346
 - refresh data in, 454
 - report filter fields, using, 316

P

page fields, 316

password

- open workbook, setting, 222

- report layouts, 330
- row labels, 310
- rows, hiding, 337
- slicers, filtering with, 318
- sort, 314
- subtotals, adding and removing, 332
- tabular form layout, 331
- text fields, grouping by, 340
- values, 310
- PMT function, 110
- power map. *See* 3D map
- power pivot. *See also* data modelling; KPI; power pivot rules
 - 64 bit version of Excel vs 32 bit, advantages of, 472
 - add-in, installing, 474
 - ALL, DAX function, 540
 - CALCULATE, DAX function, 536
 - calculated area, enabling and disabling, 520
 - calculated column, adding, 522
 - calculated column, described, 520
 - calculated field, older name for calculated measure, 524
 - calculated measure dialog, 530
 - calculated measure, adding, 524, 530
 - calculated measure, described, 520
 - calendar table, adding to data model, 502
 - column, calculated, adding, 522
 - column, calculated, described, 520
 - column, renaming, 522
 - context, comparison of row and filter, 528
 - crash, recoving from, 474
 - data view, displaying, 522
 - diagram view, displaying, 480
 - DISTINCTCOUNT, DAX function, 532
 - evaluation context, 528
 - explicit vs implicit measures, 526
 - filter context, explained, 528
 - formatting values in, 504, 522
 - heirarchy defining in data model, 502
 - implicit vs explicit measures, 526
 - installing, 474
 - many-to-many relationship, incompatibility with, 488
 - measure, adding, 524, 530
 - measure, described, 520
 - memory issues when using, 364, 472
 - OLAP pivot table, creating from, 482
 - OLAP, MOLAP, HOLAP and ROLAP, differences between, 490
 - pasting data into a new table with, 478
 - relationship, creating with, 480
 - relationships, automatic creation of, 482
 - repairing, when tab dissapears, 474
 - row context, explained, 528
 - SSAS, advantages of hosting data model on, 472
 - SUM, DAX function, 524, 528, 530
 - tab, restoring if it dissapears, 474
 - tables, adding to via get & transform, 476
 - window, differences compared with Excel, 478
 - window, opening, 474
 - window, overview, 478, 520
 - xVelocity engine, advantages of, 526
 - year-on-year growth, calculating, 538
- power pivot rules
 - data modeling, 550
 - DAX measures, creation of, 553
 - get & transform, 548
 - naming convention for tables, columns and measures, 551
- power query. *See* get & transform
- Power View
 - retired product, now part of Power BI, 364
- PQFL. *See also* get & transform
 - Date.To.Text function, 430
- precedence rules in formulas, 106
- precedents, tracing, 194
- pre-processing data. *See* get & transform
- present value, explained, 112
- primary key. *See also* data model
 - explained, 448
 - meaningless, importance of, 448
 - naming convention, 448
 - unique, neccessity to be, 448
- profit, difference between markup and gross profit, 138
- project management, Excel's suitability for, 124
- protected view, 31
 - potential problems with when downloading sample files, 30
- PV function, 112

Q

- query. *See also* get & transform
 - deleting, 498
- quick analysis, 42
 - converting a range to a table using, 46
 - percentages, adding using, 44
 - running totals, adding using, 44
 - totals, adding using, 42
- quotations

Abraham Maslow, 305
Alexander McCall Smith, 363
Benjamin Disraeli, 25
Carly Fiorina, 397
Confucius, 5, 205
George Bernard Shaw, 71
George Orwell, 105
Gordon B. Hinckley, 519
Kathryn Minshew, 241
Plutarch, 167
Sir Arthur C. Clarke, 471
Winston Churchill, 4

R

range names

- apply names command, 173
- automatically creating, 168
- automatically creating in two dimensions, 174
- creating from selection command, 174
- creating manually, 170
- dynamic, creating using OFFSET function, 178
- dynamic, uses of, 178
- explained, 168
- formulas, make more readable with, 172
- formulas, using in, 169
- hyperlinks, creating to point to, 243
- INDIRECT function, 176
- intersection operator, using with, 176
- name manager, 174, 176
- named constants, 170
- pastings into formulas using the paste name dialog, 181
- pivot table, creating from, 306
- qualified and unqualified references to, 170
- scope, workbook and worksheet, 170
- syntax rules for, 169
- table based, creating, 180
- validations, using with, 182
- viewing, 172

ranges. *See also* range names

- AutoFilter, applying to, 30
- consolidating, 80
- duplicate entries, removing from, 96
- sorting by column, 54
- sorting by row, 52
- subtotals, create automatically, 76
- table, converting into, 46
- table, creating from, 48
- unique constraint, adding to, 98

read only worksheet

- creating, 227

- hiding to prevent viewing of, 227

regional settings, 128

relational database

- data model, creating from, 490
- described, 448
- OLTP database design explained, 492
- star schema, creating from, 494
- view, using in, 452

relationship

- creating using manage relationships dialog, 480
- creating using power pivot, 480
- creating using VLOOKUP function, 450
- explained, 448
- importing, from a relational database, 490
- manage relationships dialog, 480
- many-to-many link table naming convention, 488
- many-to-many, explained, 488
- one-to-many, explained, 488

ribbon

- custom groups, adding to, 296
- customizations, saving to a file, 299
- tabs, showing and hiding, 294

RIGHT function, 144

ROLAP, 490

ROUND function, 408

ROUNDUP function, 322

row context. *See* power pivot

ROW function, 38

rules. *See* power pivot rules

S

sample files

- downloading, 19, 30
- organizing folder, 30

scenario summary report, creating, 212

scenarios

- defining, 210
- goal seek, 214
- merging, 212
- quick access toolbar, viewing from, 211
- scenario manager, 211
- scenario summary report, creating, 212

scheduling equation, 124

schema, 462

- snowflake schema, 494
- star schema, 494

screen tip, adding to a hyperlink, 242

screenshot (sidebar), 227

scrubbing data. *See* get & transform

SECOND function, 132

- security
 - custom views, creating and viewing, 220
 - digital certificate, implementing macro security with, 284
 - digital certificates, 230
 - digital signature, adding invisible, 232
 - hide worksheets, columns and rows, 218
 - locking cells to prevent users changing them, 226, 277
 - macro, 282
 - multiple levels for one worksheet, 228
 - password to open, setting, 222
 - passwords, choosing secure, 222
 - read only worksheet, creating, 227
 - structure and windows, protecting with a password, 224
 - trust center, 284
 - trusted document, creating, 286
 - trusted folder, creating, 285
 - unhide worksheets, columns and rows, 218
 - visible signature, adding, 234
- self-service BI. *See also* 3D Map, Power Pivot, Get & Transform
 - comparison with earlier OLAP implementation methods, 484
 - suite explained, 364
- semi-annual Excel updates, 1
- shapes, running macros from, 290
- shaping data. *See* get & transform
- shortcut keys
 - recalculate workbook, 133
 - time, entering a non volatile current time, 133
- signature, digital, 232
- slicers, 318
 - columns, changing number of, 319
 - connect multiple pivot tables to, 356
 - date-driven interface, creating with, 322
 - filtering multiple pivot tables with, 356
 - filtering pivot table with, 318
 - formatting, 319
 - ranges, filtering with, 46
 - re-sizing, 319
 - style, changing, 319
 - timeline, 320
- smart tag
 - using to correct errors, 189
- snowflake schema, 494
- solver, 216
- sort
 - by cell color, 52
 - by conditional formatting icon, 52
 - by font color, 52
 - custom list, by, 56
 - left to right, 55
 - multiple criteria, using in, 52
 - options, 55
 - pivot table, 314
 - range by column, 54
 - range or table by row, 52
- sounds
 - enabling audio cues, 28
- speak cells, 198
- special items. *See* structured references
- split text using Text to Columns, 73
- sql
 - described, 452
- SQL Server. *See also* SSAS
- sql server analysis services. *See* SSAS
- SSAS
 - described, 472
 - OLAP data model hosting, advantages of, 472
 - solving memory issues by hosting data model on, 472
 - version history, 472
- star schema, 494
- status threshold
 - in kpi, 534
- stocks data type. *See* linked data type
- strings
 - CONCATENATE function, 142
 - concatenating using & operator, 140
 - custom format codes, 142
 - FIND function, 146
 - LEFT function, 144
 - LEN function, 146
 - MID function, 144
 - numerical, converting to, 145
 - RIGHT function, 144
 - TEXT function, 142
 - TEXTJOIN function, 142
 - TRIM function, 147
- structure, protecting with a password, 224
- structured query language. *See* sql
- structured references. *See also* tables
 - enabling and disabling, 58
 - special items, using in, 62
 - unqualified and qualified, explained, 64
- styles
 - pivot table, creating custom style in, 328
 - pivot table, using in, 326
 - table, 48
- SUBTOTAL function, 47

subtotals. *See also* ranges, tables
copy subtotals only, 77
grand total, adding to pivot table, 335
nested, creating, 77, 78
pivot table, adding to, 332
tables, generate from using data consolidation, 82
SUM function, 108
SUM, DAX function, 528
SUMIF function, 116
SUMPRODUCT function, 217
SWITCH function, 150

T

table. *See also* structured references
calculated columns in, explained, 64
creating a pivot table from, 306
custom style, creating, 50
data source, linking to, 454
dimension table, explained, 494
duplicate entries, removing, 96
fact table, explained, 494
formatting, 48
get & transform query, linking to, 400
linked, detailed explanation of, 454
linked, refreshing, 400, 454
linked, refreshing, automatically at timed interval, 402
linked, unlinking, 454
linking to get & transform query, 400
naming, 59, 181
new rows and columns, enabling and disabling automatic inclusion in, 59
power pivot, adding to, 476
range names, associating with, 181
range, converting to, 46, 48
slicers, using with, 46
sorting by row, 52
structured reference, creating manually, 60
structured reference, explained, 58
structured reference, using, 58
style options, 48
style, custom, creating, 50
styles gallery, 48
total row, adding to, 47
total row, showing average values in, 47
unique constraint, implementing, 98
unlinking, 454
target value
in kpi, 534
temperature gauge chart, 272

TEXT function, 142
text to columns, 72, 74
TEXTJOIN function, 142
the smart method
learning by participation, 5
two facing pages rule, 4
themes. *See also* office theme
applying to a workbook, 48
restricting color choice to, rationale for, 50
third normal form, 72, 458
TIME function, 134
timeline. *See* slicers
times. *See* dates and times
TODAY function, 90, 120
totals
adding using quick analysis, 42
trace dependents tool, 194
trace error tool, 193
trace precedents of formulas, 192
transform. *See* get & transform
TRIM function, 147
trust center, 284
trusted document, 282, 286
list, clearing, 287
trusted folder, creating, 285

U

unhide worksheets, columns and rows, 218
unique
constraint, adding to ranges and tables, 98
records, extracting using advanced filter, 40
unlink table. *See* table
unpivot. *See* get & transform
update channels
automatic updates, enabling, 26
explained, 26
updates. *See* update channels

V

validation
custom, 94
date, 90
dynamically changing based on a cell value, 182
error alert messages, 86
formula driven, 90, 183
input message, 88
link together using range names, 182
list, 92, 183
mandatory and advisory, 87

- numeric data, 84
- removing from selected cells, 183
- source, different ways of defining, 92
- style, 87
- text length, 90

VBA, 278

view

- in relational database, explained, 452

visible signature, adding, 234

visualizations, 53

VLOOKUP function, 148, 154

- exact lookup, using for, 148
- inexact lookup, using for, 154
- relationship, creating using, 450

W

watch window, 196

web. *See* internet

what-if analysis. *See also* data tables, scenarios

- data table, single-input, creating, 206
- data table, two-input, creating, 208
- goal seek, 214
- scenario manager, 211
- scenario summary report, creating, 212
- scenarios, defining, 210
- scenarios, merging, 212
- solver, using, 216

wildcards

- use of in filter criteria, 35
- use of in logical criteria, 117

word

- embedding a chart object into, 250
- embedding a worksheet object into, 248
- linking an Excel worksheet to, 252

word documents, hyperlink to, 245

workbooks

- macros, running automatically when opened, 293
- recalculating, 133

working days

- calculating using DAX DISTINCTCOUNT function, 532

wrangling data. *See* get & transform

X

xVelocity engine, 486, 526

Y

Y2K bug, 189

YEAR function, 120

year-on-year growth

- calculating using power pivot, 538